Bell-Mac dba

Sun–Rys

My Sales Rep: _____ x_____

My Account Number: _____

CONTENTS

Heating & Cooling . . . . . .Pg 2 - 15
Furnaces, Air Conditioners, Replacement Parts, Filters

Doors & Windows. . . . . .Pg 16 - 23
Exterior Doors, Windows, Water Heater Doors, interior Doors

Outside Accessories. . . . . .Pg 24 - 31
Skirting, Steps, Anchors, Patio Covers, Carports

Electrical. . . . . .Pg 32 - 34
Pedestals, Wire, Light Fixtures, Disconnect Switches, Receptacles

Hardware . . . . . .Pg 35 - 43
Tools, Window Parts, Screws, Locks, Smoke Alarms, Door Parts

Plumbing. . . . . .Pg 44 - 72
Faucets, Sinks, Water Heaters, Tubs, Surrounds, Valves, Fittings, Parts

Sealants . . . . . .Pg 73 - 75
Faucets, Sinks, Water Heaters, Tubs, Surrounds, Valves, Fittings, Parts

Towing. . . . . .Pg 76 - 78
Jacks, Signs, Axle Parts, Tires, Couplers, Safety Equipment, Hitch Balls

Vents. . . . . .Pg 79 - 82
Registers, Range Hoods, Exhaust Vents, Parts

800-747-7091

1704 W. 1st Ave
Coal Valley IL 61240

309-799-7091
309-799-5718 fax

Complete Product Index on Page 86

INDOOR COMFORT PRODUCTS Revolv STYLECREST

Manufactured Housing Gas Furnaces

80% AFUE

Features:

- *Fully Air Conditioner Ready to 4 Tons*
- *Built-In Coil Cabinet*
- *Easy conversion from natural gas to propane- all models have convertible gas valves*
- *80%+ Efficiency*
- *Aluminized Heat Exchanger 10-year warranty*
- *Universal Throw-Away Filter*
- *Full Louver High Impact Plastic Return Air Door*
- *Fail-Safe Auto-Ignition System*
- *UL/CUL Approved*

MODEL	DIMENSIONS H X W X D	INPUT BTU	OUTPUT BTU	WEIGHT Lbs
DGAA056BDTA	76” X 19.5” X 24.5”	56,000	45,000	145
DGAA070BDTA	76” X 19.5” X 24.5”	70,000	56,000	145
DGAA077BDTA	76” X 19.5” X 24.5”	77,000	62,000	146
DGAA090BDTA	76” X 19.5” X 24.5”	90,000	72,000	159

Sun-Rys DISTRIBUTING 800-747-7091

Heating & Cooling

DGAA Parts Breakdown



DGAA

ITEM	DESCRIPTION	DGAA056BDTB	DGAA070BDTB	DGAA077BDTB	DGAA090BDTB	
1	Switch, Pressure	S1-32435972000	S1-32435972000	S1-32435972000	S1-32435972000	
2	Tubing Silicone (2' Req'd)	S1-02812499000	S1-02812499000	S1-02812499000	S1-02812499000	
3	Limit Switch, Manual (Upper)	S1-02535358000	S1-02535358000	S1-02535358000	S1-02535358000	
4	Assembly, Booster (w/Motor)	S1-37319801821	S1-37319801821	S1-37319801821	S1-37319801821	
5	Control Board, Integrated	S1-03101932002	S1-03101932002	S1-03101932002	S1-03101932002	
6	Valve, Gas	S1-02543267000	S1-02543267000	S1-02543267000	S1-02543267000	
7	Bracket, Mounting (Gas Valve)	S1-07319801064	S1-07319801064	S1-07319801064	S1-07319801064	<
8						
9	Exchanger, Heat (w/Gaskets)	S1-37319804651	S1-37323792001	S1-37323792002	S1-37323792003	
10	Sensor, Flame	S1-02535354000	S1-02535354000	S1-02535354000	S1-02535354000	
11	Switch, System	S1-7681-3301	S1-7681-3301	S1-7681-3301	S1-7681-3301	
12	Transformer (115-24V, 40 VA)	S1-2940A3541	S1-2940A3541	S1-2940A3541	S1-2940A3541	
13	Switch, Limit	S1-02535380000	S1-02535380000	S1-02535381000	S1-02535381000	
14	Burner Assembly, Auto Ignition (Includes items 10 & 15)	S1-37319801403	S1-37319801403	S1-37319801403	S1-37319801403	
15	Ignitor, Hot Surface	S1-02541021000	S1-02541021000	S1-02541021000	S1-02541021000	
16	Filter (2 Req'd) (16x20x1)	S1-1214-2511	S1-1214-2511	S1-1214-2511	S1-1214-2511	
17	Panel, Door (Upper)	Accessory (See Page 4)				
18	Panel, Door (Lower, Tall)	7900-7611	7900-7611	7900-7611	7900-7611	
19	Motor (See Note 2) **(old-see note 4)**	S1-1468-220P	S1-1468-220P	S1-1468-220P	S1-1468-220P	
	Motor **(new-see note 4)**	S1-02435603000	S1-02435603000	S1-02435603000	S1-02435603000	
20	Assembly, Motor Mount **(See Note 2)**	S1-37319806100	S1-37319806100	S1-37319806100	S1-37319806100	
21	Plug, Connector	S1-02521192000	S1-02521192000	S1-02521192000	S1-02521192000	
22	Capacitor, Run **(See Note 3) (Old-see note 4)**	S1-02420063000	S1-02420063000	S1-02420063000	S1-02420063000	
	Capacitor **(New-see note 4)**	S1-02435602000	S1-02435602000	S1-02435602000	S1-02435602000	
	Capacitor **(Units built on/after 8/11/2008)**	S1-02435813000	S1-02435813000	S1-02435813000	S1-02435813000	
23	Wheel, Blower	S1-02619654003	S1-02619654003	S1-02619654003	S1-02619654003	
24*	Top, Casing	S1-07319801342	S1-07319801342	S1-07319801342	S1-07319801342	
25*	Diagram, Wiring	155887	155887	155887	155887	
26*	Strike, Door	S1-02118364000	S1-02118364000	S1-02118364000	S1-02118364000	
27*	Latch, Door	S1-02118365000	S1-02118365000	S1-02118365000	S1-02118365000	
28*	Housing, Blower	S1-37323864001	S1-37323864001	S1-37323864001	S1-37323864001	
29*	Gasket, Combustion Air Box	S1-01006900005	S1-01006900005	S1-01006900005	S1-01006900005	
30*	Gasket, Burner	S1-01006742000	S1-01006742000	S1-01006742000	S1-01006742000	
31*	Gasket, Booster Assembly	S1-01006900015	S1-01006900015	S1-01006900015	S1-01006900015	
32*	Gasket, Heat Exchanger	S1-01006900001	S1-01006900001	S1-01006900001	S1-01006900001	

NOTE: *Not Shown
New replacement parts shown in **bold** face type at the first printing of parts list dated 2/12.
Major components and suggested stocking items are shown with shaded item number.
"<" Across from row indicates a change in that row.
--- Not applicable to specified model.

2. For Serial Numbers lower then 001207184- Replacement DGAA motors also require Motor Mount Assembly 373-19806-100 if replaced motor has integral, flex-arm motor mount.
3. DGAA with 5-Ton Blowers are provided as an accessory item and are not standard equipment from the factory. See Page 4
4. The "old" motor must use the "old" run capcitor. The "new" motor can use either capacitor. Serial No. W0F6528688 and above were built with the new motor.

INDOOR COMFORT PRODUCTS Revolv STYLECREST

VMA Gas Furnaces

Features:

- *Ease of installation-fits standard MH furnace footprint*
- *Easy conversion from natural gas to propane-all models*
- *have convertible gas valves*
- *A/C ready-up to 4.0 tons*
- *4-speed blower-easily adapted to air flow needs of the home*
- *Lifetime heat exchanger warranty*
- *ETL Listed*
- *Sealed Combustion design provides draws combustion air from the outside*
- *18-Guage Aluminum Coated Primary Heat Exchanger & 24C Stainless Steel Secondary Heat Exchanger Provide Long Life on VMA*
- *Standard footprint-easily replaces older MH furnaces*

95% AFUE

4 Speed Direct Drive Blower for Quiet, Efficient Operation

18-Gauge Aluminum Coated Primary Heat Exchanger & 24C Stainless Steel Secondary Heat Exchanger Provide Long Life on VMA

Lifetime Heat Exchanger and 5 Year Parts Warranties

Silicon Nitride Igniter for Quiet and Consistent Light-off

MODEL	DESCRIPTION	INPUT MBH	OUTPUT MBH	DIMENSIONS H x W x D	WEIGHT Lbs
VMA150N	FURNACE-GAS-50K-95%	50	48	57” x 18” x 23-3/4”	175
VMA175N	FURNACE-GAS-75K-95%	75	72	57” x 18” x 23-3/4”	175

Sun-Rys DISTRIBUTING 800-747-7091

Heating & Cooling

VMA Parts Breakdown





ITEM	PARTS DESCRIPTION / UNIT	VMA1-50N PART NO.	QTY.	VMA1-75N PART NO.	QTY.
1	BASE	V28930	1	V28930	1
2	HEAT EXCHANGER	V39032	1	V39033	1
3	SIDE CASING, LEFT	V619029	1	V619029	1
4	SIDE CASING, RIGHT	V619030	1	V619030	1
5	TOP	V619028	1	V619028	1
6	BLOCK OFF COIL	–	–	V18652	2
7	BAFFLE AIR SIDE	V18980	1	V18635	1
8	BLOWER FAN	V18975	1	V18975	1
9	TRAP ASSSEMBLY	V320816	1	V320816	1
10	FRONT DOOR	V618929-2	1	V618929-2	1
11	GROMMET VINYL 2500	V350007	4	V350007	4
12	INTAKE PIPE	V18949	1	V18649	1
13	VENT PIPE	V18950	1	V18650	1
14	BLOWER ASSEMBLY	VS0054178	1	VS0054178	1
14A	BLOWER HOUSING w\ WHEEL	V340042	1	V340042	1
14B	MOTOR BRACKET ASSEMBLY	VAOPS7670	1	VAOPS7670	1
14C	MOTOR (350573)	VAOPS7657	1	VAOPS7657	1
14D	CAPACITOR BOOT	V350036	1	V350036	1
14E	CAPACITOR	V350073	1	V350073	1
14F	AUX LIMIT SWITCH	V350891	1	V350891	1
14G	INTEGRATED FAN CONTROL	V350836	1	V350836	1
14H	TRANSFORMER	V350464	1	V350464	1
14I	BLOWER HARNESS	V350781	1	V350781	1
15	BURNER DRAWER ASSEMBLY	VS0058219	1	VS0058216	1
15A	BURNER TUBE	V380595	2	V380595	3
15B	MANIFOLD	V380726	1	V380670	1
15C	ORIFICE	V380600	2	V380600	3
15D	GROMMET	V360434	1	V360434	1
15E	GAS VALVE	V380639	1	V380639	1
16	BURNER BOX ASSEMBLY	VS0058218	1	VS0058215	1
16A	LIMIT SWITCH (ROLL OUT)	V350485	1	V350485	1
16B	SIGHT GLASS GASKET	V330135	1	V330135	1
16C	SIGHT GLASS	V15887	1	V15887	1
16D	SILICONE SPONGE GASKET 1/2"	V330141	1.9'	V330141	2.4'
16E	SILICONE SPONGE GASKET 1"	V330140	1.5'	V330140	2.2'

ITEM	PARTS DESCRIPTION / UNIT	VMA1-50N PART NO.	QTY.	VMA1-75N PART NO.	QTY.
17	FILTER RETAINER ROD	V14809	1	V14809	1
18	FILTER	V370192	1	V370192	1
19	INDUCER	V340330	1	V340330	1
20	INDUCER GASKET	V330137	1	V330137	1
21	IGNITER	V380650	1	V380650	1
22	FLAME SENSOR	V350759	1	V350759	1
23	CAM LATCH ASSEMBLY	V320904	1	V320904	1
24	CAM	V320905	1	V320905	1
25	VENT/DRAIN ELBOW ASSEMBLY	V320903	1	V320903	1
26	COMBUSTION AIR INTAKE ASS'Y	V320906	1	V320906	1
27	RADIATOR HOSE	V410017	1	V410017	1
28	HOSE CLAMP	V300276	2	V300276	2
29	PARTS PACKAGE	VS0054182	1	VS0054183	1
29A	J-BOX COVER	V350020	1	V350020	1
29B	RADIATOR HOSE	V410017	2	V410017	2
29C	HOSE CLAMP	V300276	4	V300276	4
29D	CPVC X PVC ADAPTER	V320833	1	V320833	1
29E	LP CONVERSION KIT	VAOPS7727	1	VAOPS7728	1
30	J-BOX	V350024	1	V350024	1
31	PRESSURE SWITCH	V350498	1	V350498	1
32	LIMIT SWITCH	V350495	1	V350817	1
33	VESTIBULE WIRE HARNESS	V350195	1	V350195	1
34	SUPPLY WIRE HARNESS	V350893	1	V350893	1
35	GROUND WIRE HARNESS	V350892	1	V350892	1
36	TUBING ASSEMBLY	VS0054110	1	VS0054110	1
37	DOOR SWITCH	V350139	1	V350139	1
38	CASING, REAR	V619031	1	V619031	1
39	BAFFLE, AIR SIDE	V18979	1	V18935	1



EB Series Electric Furnaces

INDOOR COMFORT PRODUCTS Revolv STYLECREST

Features:

- *Heat Pump and A/C Ready*
- *Built-In Insulated Coil Cabinet*
- *4 Ton A/C, 3 1/2 Ton Heat Pump Blower Capacity*
- *Full Sequenced Heat to Protect Home Electronics*
- *Upflow/Downflow Convertible*
- *Zero clearance feature allows the EBxxC/D series to be installed where space is at a premium*
- *Available in a wide range of heat capacities (10KW-23KW) to match the needs of any home*
- *Heating package includes specifically designed, long lasting nickel/chrome heat elements*
- *Accessory blower kit available for larger A/C and HP applications*
- *As defined by the U.S. Department of Energy, these furnaces are 100% efficient when used in specified applications*

Built-in coil cabinet is design-matched to work in conjunction with Revolv™ heat pumps and air conditioners, providing ease of installation and highly efficient operating performance.

Equipped with built-in circuit breakers instead of fuses.

MODEL	DESCRIPTION	OUTPUT BTU	CFM @ .3# W.C.	DIMENSIONS H x W x D	WEIGHT Lbs
EB10D	ELEC-10 KW	34,000 AT 240V	924	51.5” x 19.5” x 24”	83
EB12D	ELEC-12 KW	39,000 AT 240V	924	51.5” x 19.5” x 24”	84
EB15D	ELEC-15 KW	51,000 AT 240V	924	51.5” x 19.5” x 24”	85
EB17D	ELEC-17 KW	55,000 AT 240V	1140	51.5” x 19.5” x 24”	86
EB20D	ELEC-20 KW	67,000 AT 240V	1140	51.5” x 19.5” x 24”	84
EB23D	ELEC-23 KW	77,000 AT 240V	1140	51.5” x 19.5” x 24”	86

Components:

3500-8941/B Insul N Coil Rack Package

3500-5451 Upflow Return Air Box, Front Return

3500-7211 Upflow Door Kit & Support

3500-378P Jumper Bars (option for EB15B - EB23B)

Sun-Rys DISTRIBUTING 800-747-7091

Heating & Cooling

EB Series Parts Breakdown

Style D



ITEM	DESCRIPTION	EB10D	EB12D	EB15D	EB17D	EB20D	EB23D
1	Front Panel (Insulated)	3501-9111	3501-9111	3501-9111	3501-9211	3501-9211	3501-9211
	Filter (20 x 20 x 1) (Front Return Panel)	S1-1214-2521	S1-1214-2521	S1-1214-2521	S1-1214-2521	S1-1214-2521	S1-1214-2521
2* (Opt)	Front Panel (Louvered, 4-Ton) (Insul)	3501-9211	3501-9211	3501-9211	3501-9111	3501-9111	3501-9111
	Front Panel (Front Return, 5-Ton)	3500-1591	3500-1591	3500-1591	3500-1591	3500-1591	3500-1591
3	Filter (16 x 20 x 1)	S1-1214-2511	S1-1214-2511	S1-1214-2511	S1-1214-2511	S1-1214-2511	S1-1214-2511
4	Support Angle (Door)	S1-3500-1861	S1-3500-1861	S1-3500-1861	S1-3500-1861	S1-3500-1861	S1-3500-1861
5	Cover, Electric Box	S1-3500-2351/A	S1-3500-2361/A	S1-3500-2361/A	S1-3500-2361/A	S1-3500-2361/A	S1-3500-2361/A
6	Cover (Service Entrance)	S1-3500-1271	S1-3500-1271	S1-3500-1271	S1-3500-1271	S1-3500-1271	S1-3500-1271
7	Sub-base (Optional)	S1-3500-1071/B	S1-3500-1071/B	S1-3500-1071/B	S1-3500-1071/B	S1-3500-1071/B	S1-3500-1071/B
	Sub-base (M10) (Optional)	3500-5221	3500-5221	3500-5221	3500-5221	3500-5221	3500-5221
8							
9	Blower Housing	S1-37323744001	S1-37323744001	S1-37323744001	S1-37323744001	S1-37323744001	S1-37323744001
10	Blower Motor	S1-02427651000	S1-02427651000	S1-02427651000	S1-02427651000	S1-02427651000	S1-02427651000
11	Capacitor (7.5MFD/370V)	S1-02420045700	S1-02420045700	S1-02420045700	S1-02420045700	S1-02420045700	S1-02420045700
12	Relay, Fan	S1-3110-3301	S1-3110-3301	S1-3110-3301	S1-3110-3301	S1-3110-3301	S1-3110-3301
13	Motor Mount Assembly Kit (1PC)	S1-37319831002	S1-37319831002	S1-37319831002	S1-37319831002	S1-37319831002	S1-37319831002
14	Blower Wheel	S1-02632627700	S1-02632627700	S1-02632627700	S1-02632627700	S1-02632627700	S1 02632627700
15	Sequencer	S1-3110-3571	S1-3110-3571	S1-3115-3571	S1-3115-3571	S1-3115-3571	S1-3120A3571
16	Transformer (240/24V-40A)	S1-3300-3861	S1-3300-3861	S1-3300-3861	S1-3300-3861	S1-3300-3861	S1-3300-3861
17	Heater Element Assembly w/Limit and Jumper Wire	(9.6Kw) S1-02541236000	(11.2Kw) S1-02541238000	(4.8Kw) & (9.6Kw) S1-02541237000 S1-02541236000	(5.6Kw) & (10.4Kw) S1-02541239000 S1-02541240000	2 Ea. (9.6Kw) S1-02541236000	(10.4Kw) & (11.2Kw) S1-02541240000 S1-02541238000
18	Limit Switch	S1-02541249000 (Open 200, Close 60)	S1-02541249000 (Open 200, Close 60)	S1-02541249000 (Open 200, Close 60)	S1-02541249000 (Open 200, Close 60)	S1-02541249000 (Open 200. Close 60)	S1-02541249000 (Open 200, Close 60)
19	Fusible Link	S1-02435663000	S1-02435663000	S1-02435663000	S1-02435663000	S1-02435663000	S1-02435663000
20	Bracket (Circuit Breaker)	3500-128	3500-128	3500-128	3500-128	3500-128	3500-128
21	Circuit Breaker (1 Req'd)	S1-3500-377P/A	---	---	S1-3500-377P/A	S1-3500-377P/A	S1-3500-377P/A
	Circuit Breaker (2 Req'd)	---	S1-3500-377P/A	S1-3500-377P/A	S1-3500-378P	S1-3500-378P	S1-3500-378P
22	Buss Bar (See Note 2)	S1-3500-378P	S1-3500-378P	S1-3500-378P	1216-231	1216-231	1216-231
23	Ground Lug (Large)	1216-231	1216-231	1216-231	S1-02521798000	S1-02521798000	S1-02521798000
	Ground Lug (Small)	---	---	S1-02521798000	S1-02922184001	S1-02922184001	S1-02922184001
24	Drain Tube (See Note 1)	S1-02922184001	S1-02922184001	S1-02922184001	S1-3240-3051	S1-3240-3051	S1-3240-3051
25	Condensate Trap (See Note 1)	S1-3240-3051	S1-3240-3051	S1-3240-3051	3500-174	3500-174	3500-174
26	Coil Shelf (See Note 1)	3500-174	3500-174	3500-174	3500-171	3500-171	3500-171
27	Coil Shelf Panel (See Note 1)	3500-171	3500-171	3500-171	S1-02320541000	S1-02320541000	S1-02320541000
28	Ferrule (3 Req'd)	S1-02320541000	S1-02320541000	S1-02320541000	S1-02814740000	S1-02814740000	S1-02814740000
29	Grommet (3 Req'd)	S1-02814740000	S1-02814740000	S1-02814740000	S1-02532746026	S1-02532746026	S1-02532746026
30	Fuse	S1-02532746026	S1-02532746026	S1-02532746026	570571	570572	570573
31*	Wiring diagram	570551	570539	570540			

NOTE: *Not Shown
New replacement parts shown in **bold** face type at the first printing of parts list dated 4/10.
Major components and suggested stocking items are shown with shaded item number.
"<" Across from row indicates a change in that row.
--- Not applicable to specified model.
All parts with three digit suffix numbers are "Special Order" parts. These parts are subject to factory availability and require extra time for delivery.
1 Not Standard with furnace, contained in accessory kit no. 3500-8941/B.
2 Standard on EB12C.

Coleman

Repair Parts List
Hot Surface Ignition
7900 Series



CODE	USED ON MODELS	PART NUMBER	DESCRIPTION
2	7956/D, 7970/D	**7966-311P**	Motor 1/6 HP-1000 RPM-8.2A
	7995/D	**1468-212P**	Motor 1/4 HP-1050 RPM 6.0A
3	ALL	**026-24069-700**	Wheel 10 5/8 x7 1/8 x 1/2
4	ALL	**7670-5391**	Motor Clamp
5	ALL	**026-34037-000**	Motor Mount 3 pkg.
6	ALL	**7624A3591**	Limit Switch (180) Manual Reset
8	7995/D	**024-20045-700**	Run Capacitor 7.5 Mfd-370V
10	ALL	**7900-7541**	Thermostat Heating/AC (Adj. Ant.)
11	ALL	**7970-5851A**	Burner Assy. (Less Gas Valve) .
12	ALL	**1474-052P**	Hot Surface Ignitor
15	ALL	**7945-5151C**	Valve Bracket
16	ALL	**7990-328P**	Gas Valve (24V .23Amp 1/2 x 3/8)
18	ALL	**1474-0041**	Ignition Module (120 & 24V. AC- Triple Try)
24	ALL	**7660-5331**	Filter Kit (single pack)
26	ALL	**7990-1561A**	Door (upper white)
28	ALL	**7956-1571A**	Door (lower, white)
31	7956/D	**7945-3281A**	Limit Switch (Lower 140 -30)
	7970/D	**7970-3281A**	Limit Switch (Lower 145 - 30)
	7995/D	**7995-3281A**	Limit Switch (Lower 150 - 30)
32	7956/D, 7970/D, 7995C	**7975-3281**	Fan Switch (110 -20)
33	ALL	**8665-5701**	Booster Relay (8665-309)
34	ALL	**7945-3551**	Transformer (115/24V. - 15VA)
36	ALL	**7970-3331**	System Switch (On/Off/On)
38	7956/D, 7970/D	**7975-5751**	Heat Exchanger (with Gaskets)
	7995/D	**7995-5751**	Heat Exchanger (with Gaskets)
39	ALL	**7945-3011**	Gasket Pkg. (Heat Exchanger)
41	ALL	**7956-5771**	Combustion Air Damper
50	ALL	**7995-6451**	Booster Assy. (Code 51 thru 56)
51	ALL	**8865-3611**	Impeller (3 13/16 x 1 7/8 x 3/8)
52	ALL	**8865B1281**	Isolator (Rubber 4/pkg.)
53	ALL	**7995-3169**	Booster Motor (3000 RPM)

Sun-Rys DISTRIBUTING 800-747-7091

Heating & Cooling

Coleman

Gas Counter Flow Furnace Repair Parts



Standing Pilot Models

CODE	USED ON MODEL	COLEMAN #	DESCRIPTION
2	All 7600 & 7900 SERIES	**7670-5391**	Motor Clamp
3	7956,A,B,C, 7655, 7656, B.F. 7660, 7663,A.B.	**7966-311P**	Motor (1000 RPM)
	7956D,7966,7970,7975,7670,A,B,C,7680,A,B,C,7665	**7966-311P**	Motor (1000 RPM)
	7700,A,B,7710,7995 S.N. 02870000 & BELOW	**024-21620-700**	Motor (1050 RPM)
	7995A,B,C SN038700000 & ABOVE	**1468-212P**	Motor (1050 RPM)
4	7956,7655,7656,B,F,7660,7663,A,B	**026-16381-141**	Wheel
	7995,7966,7970,7975,7670,A,B,C,7680,A,B,C,7700,A,B,7710	**026-24069-700**	Wheel
5	7656,B,F,7660,7663,A,B,7670,A,B	**7660-3591**	Limit Upper (150-20)
	ALL 7900,A,B,C,7655,7670C,7680C,7710,7665	**7624A3591**	Limit Upper (180 Manual Reset)
	7680,A,B,7700,A,B	**7680-3791**	Limit Upper (140-20)
14	7956,A,B,C,D	**7945-3281A**	Limit (140-30)
	7966,7970,7975,A,B,C	**7970-3281A**	Limit (145-30)
	7995,A,B, C	**7995-3281A**	Limit (150-30)
	7656,B,F,7660,7663,A,B,7680,A,B	**7680-3591**	Limit (155-20)
	7670,A,B,C,7680C	**7660-3591**	Limit (150-20)
	7655	**7705-3591**	Limit (145-20)
	7700,A,B,7710	**7700-3591**	Limit (165-30)
15	7900 SERIES FURNACES	**7945-3551**	Transformer
16	7956,7966,7970,7975,A,C,7956D,7655,7656,B,F,7660,7663,A,B,	**7975-3281**	Fan Switch (110-20)
	7670,A,B,7680,A,B,7700,A,B,7710, 7995, A, C	**7975-3281**	Fan Switch (110-20)
	7670C,7680C	**7710-3281**	Fan Switch (105-20)
	ALL 7900B	**7956A3771**	Blower Control
18	ALL	**2631-3481**	Thermocouple 24"
19	ALL 7600 SERIES	**9849-0161**	Pilot
	ALL 7900 SERIES	**9880A0161**	Pilot
20	7700,A,B,7710 (additional items required when replacing G.C. valve)	**7700A3461**	Gas Valve
	ALL OTHERS (additional items required when replacing GC valve)	**7956-336P**	Gas Valve
25	7956,A,B,C, 7956D, 7966,A,7970,A,7975,A,B,C (**Pilot only**)	**7975-5751**	Heat Exchanger w/gaskets
	7966,A,7975,A,B,C (**IID ONLY**)	**7975-5751**	Heat Exchanger w/gaskets
	7995,A,B,C	**7995-5751**	Heat Exchanger w/gaskets
40	ALL	**7990-1561A**	Upper White Door
41	ALL	**7956-1571A**	Lower White Door
44	ALL	**7660-5331**	Filter Kit
50	7700,A,B,7710,7995	**8665-5701**	Combustion Mtr Relay
51	7700,A,B,7710,7995	**7995-3169**	Combustion Motor
68	ALL	**525-37034-000**	Thermostat Heat only

Coleman Filter Kit

Coleman Furnace Series 7600, 7700, 7900, 4000 and D Series

7660-5331 Filter Kit
7660-3401 Filter material only 19”x35”x1/4” 25/Ctn

Filter Material

Filter foam, used for furnace filters 4/Ctn Black

800-211 1/4”x24”x25’

Hoghair Filter, used widely for air conditioning filters. Blue

800-200 1/2”x24”x25’

VMA Accessories

Revolv

1CT0302 VMA Concentric Vent Kit

644-524 Transition Coupling 3” x 5”

VE113S VMA Coil Cabinet 20” (coil sold separately)

Blend Air II

Coleman

How it works:

The Blend-Air Environmental System forces outside air into the attic and living areas of the home. Humid air in the attic is forced out through the attic vents. At the same time, fresh air is being mixed with the return air in the furnace and is being distributed throughout the home.

7681-8171B Coleman Blend Air II
7681-7331 Blend Air Filter
7681-7541 Extension Pipe, Exterior

Thermostat

111003 Heating / Cooling 5-Wire

Thermostat Wire

300-405 18 gauge 4-wire 250’ roll

Radiant Heaters

enerco

- Hot Surface Ignition
- Straight or U-Tube configuration
- Available in many system lengths
- Sight Glass for monitoring burner
- All tubing is aluminized steel

Call today for available models!

Heating & Cooling

Sun-Rys DISTRIBUTING 800-747-7091

Exterior Extension

Extends the roof jack cap height 18”.

Extending the cap height on pitched roof installations eliminated pilot outage.

7680B6541 Exterior Extension

Interior Extension

Extends the adjustable height of the roof jack.

Mounts between the furnace and the roof jack.

6/Ctn

7900A6111 11” Int Extension
7900A6171 17” Int Extension

Ceiling Ring

The ceiling ring is used to meet fire stop requirements.

25/Ctn

7680-2841 Ceiling Ring

Roof Jack Sealant

Required for all Roof Jacks

Expansion joint sealant seals the swivel joint on roof jacks.

12/Ctn

4000-4241 Roof Jack Sealant

Crown Cap

4000 Series Roof Jack Top Cap only

4000-5441C Crown Cap (Shown)
4000-6941C Crown Assembly

Intertherm Replacement Parts Also Available

Call today!!

Roof Jack



Interior Extension #7900A6171 is required for 60” furnaces for chart dimensions to be correct.

Model	Floor to Roof “A”
4000-7101C	86” to 95”
4000-7121C	91” to 102”
4000-7141C	99” to 120”
4000-7151C	106” to 132”
4000-7171C	143” to 173”

Removeable Crown:

4000-8161C	101” to 117”
4000-8181C	115” to 145”

Duct Connector



Model	Size	Depth	Pack
7990-6211	1”	1”	5
7990-6221	2”	2”	1
7990-6241	4”	4½”	1
7990-6261	6”	6½”	5
7990-6271	7”	7½”	5
7990-6281	8”	8½”	5

Split System 13 S.E.E.R.
R410A Air Conditioners

Features:
- *Compressor is protected from high pressure and temperature for durability*
- *High-pressure relief valve and solid core filter drier extends life of compressor*
- *Filter drier provides extra protection to the refrigerant system from moisture, dirt and other contaminants*
- *Reduced refrigerant charge up to 50% less refrigerant than similar models*
- *Patented fittings securely connect with just two adjustable wrenches*
- *Improved air-flow reduces needed fan power/noise*
- *Improved durability*

Quick Connect

Nominal Ton Capacity	Condenser SKU	Micro-Channel Condenser-Description	Weight Lbs.	Unit Dimensions LxWxH	Lineset Sizes	Matching Indoor Coil
2.0	CCGD24S41Q3A	Condenser-AC QC 2.0 T 13 SEER	97	24″x24″x28″	3/8″ x 3/4″	1830Q4A
2.5	CCGD30S41Q3A	Condenser-AC QC 2.5 T 13 SEER	129	24″x24″x28″	3/8″ x 3/4″	1830Q4A
3.0	CCGD36S41Q3A	Condenser-AC QC 3.0 T 13 SEER	131	29″x29″x28″	3/8″ x 3/4″	1836Q4A
3.5	CCGD42S41Q3A	Condenser-AC QC 3.5 T 13 SEER	173	29″x29″x30″	3/8″ x 7/8″	1843Q4A
4.0	CCGD48S41Q3A	Condenser-AC QC 4.0 T 13 SEER	173	29″x29″x30″	3/8″ x 7/8″	1854Q4A

Sweat Fit Connect

Nominal Ton Capacity	Condenser SKU	Microchannel Condenser-Description	Weight Lbs.	Unit Dimensions L x W x H	Pad Part Number	Lineset Sizes	Matching Indoor Coil
2.0	TCGD24S41S	Condenser-AC SIF 2.0T 13 SEER R410	129	23½″ x 23½″ x 28″	1124242D	3/8″ x 3/4″	1830S4A
2.5	TCGD30S41S	Condenser-AC SIF 2.5T 13 SEER R410	131	23½″ x 23½″ x 28″	1124242D	3/8″ x 3/4″	1830S4A
3.0	TCGD36S41S	Condenser-AC SIF 3.0T 13 SEER R410	145	29″ x 29″ x 28″	1130302D	3/8″ x 3/4″	1836S4A
3.5	TCGD42S41S	Condenser-AC SIF 3.5T 13 SEER R410	173	29″ x 29″ x 30″	1130302D	3/8″ x7/8″	1843S4A 1844S4A 1855S4A
4.0	TCGD48S41S	Condenser-AC SIF 4.0T 13 SEER R410	173	29″ x 29″ x 30″	1130302D	3/8″ x 7/8″	1854S4A 1855S4A 1856S4A**
NOTE: REFER TO AHRI LISTINGS FOR ACTUAL APPLICATIONS AND CAPACITIES							

Sun-Rys DISTRIBUTING 800-747-7091

Heating & Cooling

R410A AccuCharge™
Manufactured Housing Coils

*The **Revolv™ R410A Coil** series is designed to be "THE" A-COIL choice to be installed on new and existing down flow MH furnaces.*

Features:
- *AccuCharge fittings*
- *Coil has built-in strainer for coil protection*
- *UL listed and leak tested to 500 p.s.i. Code approved 2-opening drain pan*
- *Dry-type pan does not maintain standing water*

Quick Connect

Revolv™ R410A Manufactured Coils				
Part Number	Description	Nominal A/C size *	Nominal H/P size *	H x W xD
1830Q4A	COIL-REVOLV™ QC R410A A/C H/P	1.5-2.0 T	1.5 T	14″ x 18″ x 19 5/8″
1836Q4A	COIL-REVOLV™ QC R410A A/C H/P	2.0-3.0 T	2.0 T	18″ x 18″ x 19 5/8″
1843Q4A	COIL-REVOLV™ QC R410A A/C H/P	2.5-3.5 T	2.5-3.5 T	16.5″ x 18″ x 19 5/8″
1854Q4A	COIL-REVOLV™ QC R410A A/C H/P	4.0-5.0 T	2.5-4.0 T	18.5″ x 18″ x 19 5/8″

Sweat Fit Connect

Revolv® R410A Manufactured Coils			
Part Number	Description	Nominal Size See Application Guides and AHRI	H x W xD
1830S4A	COIL-REVOLV® SF R410A A/C H/P	1.5-2.5 T	14″ x 18″ x 19-5/8″
1836S4A	COIL-REVOLV® SF R410A A/C H/P	2.0-3.0 T	18″ x 18″ x 19-5/8″
1843S4A	COIL-REVOLV® SF R410A A/C H/P	2.5-3.5 T	16.5″ x 18″ x 19-5/8″
1844S4A	COIL-REVOLV® SF R410A A/C H/P	2.5-3.5 T	16.5″ x 18″ x 19-5/8″

13 S.E.E.R. R410A
Packaged Air Conditioners

Features:
- *State of the Art Compressor Technology*
- *High Humidity Control Performance*
- *Powder Coat Finish Tested to 1000 Hour Salt Spray Standard*
- *Improved "Closed Cell" Foam Insulation With Sealed Control Box*
- *High Static Pressure Blowers with Improved Access Panel Design*

13 S.E.E.R. R410A PACKAGED AIR CONDITIONERS		
Part Number	Tons of Cooling	Dimensions L x W x H
NL024	2.0	47″ x 33″ x 31″
NL030	2.5	47″ x 33″ x 31″
NL036	3.0	47″ x 33″ x 31″
NL042	3.5	47″ x 33″ x 31″
NL048	4.0	57″ x 33″ x 35″

Pre-Charged *AccuCharge*™ Refrigerant Line Sets

Part Number	Description	Length	Liquid Line Diameter	Suction Line Diameter	Wall Insulation Thickness
4463Q1531	LINESET-QC R410A 15'-3/8X3/4-3	15'	3/8″	3/4″	3/8″
4463Q2031	LINESET-QC R410A 20'-3/8X3/4-3	20'	3/8″	3/4″	3/8″
4463Q2531	LINESET-QC R410A 25'-3/8X3/4-3	25'	3/8″	3/4″	3/8″
4463Q3031	LINESET-QC R410A 30'-3/8X3/4-3	30'	3/8″	3/4″	3/8″
4463Q4031	LINESET-QC R410A 40'-3/8X3/4-3	40'	3/8″	3/4″	3/8″
4463Q5031	LINESET-QC R410A 50'-3/8X3/4-3	50'	3/8″	3/4″	3/8″
4473Q1531	LINESET-QC R410A 15'-3/8X7/8-3	15'	3/8″	7/8″	3/8″
4473Q2031	LINESET-QC R410A 20'-3/8X7/8-3	20'	3/8″	7/8″	3/8″
4473Q2531	LINESET-QC R410A 25'-3/8X7/8-3	25'	3/8″	7/8″	3/8″
4473Q3031	LINESET-QC R410A 30'-3/8X7/8-3	30'	3/8″	7/8″	3/8″
4473Q4031	LINESET-QC R410A 40'-3/8X7/8-3	40'	3/8″	7/8″	3/8″
4473Q5031	LINESET-QC R410A 50'-3/8X7/8-3	50'	3/8″	7/8″	3/8″



Furnace A/C Close-off Damper

Prevents conditioned air from entering the furnace

7900-6771 Damper

Flex Duct "Y" Connector



Used on double wide homes to split the main supply line

7336T5811 "Y" Connector

Supply Duct Connector



Used on double wide homes to add a second supply line. With automatic damper

7336-5801 Supply Connector

Sheet Metal Kit



Grill 12" x 20" Metal, brown
12" Supply w/Damper
12" Return
Hog Hair Filter

112012 Sheet Metal Kit

Reducers & Collars

800-320 12" x 10"
800-321 14" x 12"
800-330 12" x 12"
800-331 14" x 14"

Insulated Flexible Duct

Flex Duct is UL listed and meets HUD requirements for mobile home use

800-301 10" x 25'
800-303 14" x 25'

800-305 12" x 25' R4.2 Foil

351-809 Cable Tie 48"

Sun-Rys DISTRIBUTING 800-747-7091

Heating & Cooling

A/C Pads



High Density Plastic

537-012 30 x 30 x 2"
537-011 36 x 48 x 3"

A/C Disconnects

Non-Fusible 60 Amp

300-022 Metallic 6/Ctn.
300-030 Plastic 6/Ctn.
300-037 Metallic w/GFI 6/Ctn.

Fusible 60 Amp

300-023 Metallic 6/Ctn.

Floor Registers

An economical metal register with two-way diffusion fins and rolled edges. Brown - 48/Ctn

800-000 4" x 8" Register
800-001 4" x 10" Register
800-002 6" x 6" Register

Heavy duty metal construction and two-way diffusion fins with rolled edges for even air distribution. Double damper design can be adjusted to any desired air flow. 24/Ctn

Brown		White
800-003	4" x 8"	800-005
800-004	4" x 10"	800-006
800-012	4" x 12"	800-012

Grills

Two-way diffusion fins with rolled edges. Brown - 12/Ctn

800-020 4" x 8" Grill
800-021 4" x 10" Grill
800-022 4" x 12" Grill

Liquidtite Conduit and Fittings

1/2" - 25/Ctn
3/4" - 10/Ctn
1-1/4" - 10/Ctn

Metal

300-602 1/2" Straight
300-603 3/4" Straight
300-633 1-1/4" Straight

Metal

300-604 1/2" 90° Elbow
300-605 3/4" 90° Elbow
300-607 3/4" 45° Elbow

Flexible Non-Metallic Conduit

300-600 1/2" x 100' Liquidtite
300-601 3/4" x 100' Liquidtite

Convenience Kits

INCLUDES: Liquidtite conduit, (1) straight conn., (1) 90° conn. and (3) thhn wire. 6/Ctn.

1/2: Dia. #10 Wire

300-625 1/2" Dia. 4' length
300-626 1/2" Dia. 6' length

3/4: Dia. #8 Wire

300-631 3/4" Dia. 6' length

Sealing Compound

Non-hardening sealing compound for larger jobs. For plugging openings through foundations and refrigeration tube entry. Does not contain asbestos.

720-390 1lb. Sealing Compound

Wall Mount Bracket

1/8" Thick Steel
For Hanging AC Condensors

537-025 36" Bracket, pair

Kimro Doors Doors Doors

We have a super selection of doors in stock.

And special orders are always welcome!

Series 5210 House Type Series 5140 Outswing

5140 Outswing

5210 Combo

Blank

4”x24”



5140 Only

9-Lite



Diamond

Series 7660 Steel House Type

6-panel

9-lite

Square Bevel

2-lite

Etched Oval

Brass Oval

Brass Half Round

Sunburst

Brass Round Top

Storm Doors

Full View

Self-Storing
Storm Buster

Sun-Rys DISTRIBUTING 800-747-7091

Doors & Windows

Kimro Lip Doors Series #5140

Blank

Picture

Slider

SERIES 5140 OUTSWING DOOR

The 5140 is an outswing entry door that combines beauty, durability & efficiency.

Standard Features:

- Strong welded aluminum frame with weather baffle
- Continuous hinge
- Effective insulating foam core
- High density foam lock block
- Knob/Knob lock set
- White embossed fiberglass interior
- White embossed fiberglass exterior
- Double seal—bulb vinyl on all four sides for the primary sealing system. Extruded flap vinyl on all four sides of the frame form the secondary seal.

Options include:

- Deadbolt lock
- Brass lock set and deadbolt

Special Orders Available
Please measure accurately as all door sales are final

SIZE		Window Options: Blank no window	Picture Window 4" x 24"	Slider Window 14" x 27"
24 X 70	LH	202-111-W	200-111-W	200-311-W
	RH	202-211-W	200-011-W	200-211-W
24 X 72	LH	202-112-W	200-112-W	200-312-W
	RH	202-212-W	200-012-W	200-212-W
28 X 70	LH	202-131-W	200-131-W	200-331-W
	RH	202-231-W	200-031-W	200-231-W
28 X 72	LH	202-132-W	200-132-W	200-332-W
	RH	202-232-W	200-032-W	200-232-W
30 X 72	LH	202-142-W*	200-142-W*	200-342-W*
	RH	202-242-W	200-042-W	200-242-W
30 X 74	LH	202-143-W	200-143-W	200-343-W
	RH	202-243-W	200-043-W	200-243-W
30 X 76	LH	202-144-W	200-144-W	200-344-W
	RH	202-244-W	200-044-W	200-244-W
30 X 78	LH	202-145-W	200-145-W	200-345-W
	RH	202-245-W	200-045-W	200-245-W
32 X 72	LH	202-152-W*	200-152-W*	200-352-W*
	RH	202-252-W*	200-052-W*	200-252-W*
32 X 74	LH	202-153-W	200-153-W*	200-353-W*
	RH	202-253-W	200-053-W	200-253-W
32 X 76	LH	202-154-W*	200-154-W*	200-354-W*
	RH	202-254-W	200-054-W*	200-254-W*
32 X 78	LH	202-155-W	200-155-W	200-355-W
	RH	202-255-W	200-055-W	200-255-W
34 X 72	LH	202-162-W	200-162-W	200-362-W
	RH	202-262-W	200-062-W	200-262-W
34 X 74	LH	202-163-W	200-163-W	200-363-W
	RH	202-263-W	200-063-W	200-263-W
34 X 76	LH	202-164-W*	200-164-W*	200-364-W*
	RH	202-264-W	200-064-W	200-264-W*
34 X 78	LH	202-165-W	200-165-W	200-365-W
	RH	202-265-W	200-065-W	200-265-W
34 X 80	LH	202-166-W	200-166-W	200-366-W
	RH	202-266-W	200-066-W	200-266-W
36 X 78	LH	202-175-W	200-175-W	200-375-W
	RH	202-275-W	200-075-W	200-275-W
36 X 80	LH	202-176-W	200-176-W	200-376-W
	RH	202-276-W	200-076-W	200-276-W

*denotes stock item
(stock doors come with 4x24 window)

Picture Window 4 x24 for 5140 & 5210 door 243-120

9-Lite Window for 5140 & 5210 door 243-122

The rough opening of the door is equal to the call size, listed herein as “SIZE”. To determine if the door is a LEFT or RIGHT hinge, look at the door from the outside to see which side the hinges are on.

5210 Series Combination Doors

SERIES 5210 INSWING COMBO DOOR

The 5210 is an inswing entry door that combines beauty, durability & efficiency.

Standard Features:

- Galvanized steel frame which is precambered on lock side to promote a tighter seal
- Heavy, damage-resistant panels are securely bonded to the core
- Effective insulating foam core
- High density foam lock block
- Knob/Knob lock set
- Prefinished jamb system
- Double leaf sill sweep
- Self-storing heavy duty aluminum framed storm door with stainless steel bushings in hinges

Options include:

- Deadbolt lock
- Brass lock set and deadbolt
- Jamb sets for 6” wall depth
- 5900 1-1/4” Storm Buster Storm Door

Special Orders Available
Please measure accurately as all door sales are final

SIZE		Jamb & Storm Options: 4" Jamb w/1-1/4" White Storm	6" Jamb w/1-1/4" White Storm	4" Jamb w/1" Mill Storm
32 X 72	LH	205-752-W*		205-552-W
	RH	205-652-W		205-452-W
32 X 74	LH	205-753-W		205-553-W
	RH	205-653-W		205-453-W
32 X 76	LH	205-754-W*	209-754-W*	205-554-W
	RH	205-654-W*		205-454-W
32 X 78	LH	205-755-W*		205-555-W
	RH	205-655-W		205-455-W
32 X 80	LH	205-756-W		205-556-W
	RH	205-656-W		205-456-W
34 X 74	LH	205-763-W		205-563-W
	RH	205-663-W		205-463-W
34 X 76	LH	205-764-W*	209-764-W*	205-564-W
	RH	205-664-W*	209-664-W*	205-464-W
34 X 78	LH	205-765-W*	209-765-W	205-565-W
	RH	205-665-W*	209-665-W	205-465-W
34 X 80	LH	205-766-W*	209-766-W*	205-566-W
	RH	205-666-W*	209-666-W	205-466-W
36 X 80	LH	205-776-W		205-576-W
	RH	205-676-W		205-476-W
38 X 78	LH	205-785-W		205-585-W
	RH	205-685-W		205-485-W
38 X 80	LH	205-786-W	209-786-W	205-586-W
	RH	205-686-W		205-486-W

*denotes stock item
(stock doors come with 4x24 window)

The rough opening of the door is equal to the call size, listed herein as “SIZE”. To determine if the door is a LEFT or RIGHT hinge, look at the door from the outside to see which side the hinges are on.

Picture Window 4 x24 for 5140 & 5210 door 243-120

9-Lite Window for 5140 & 5210 door 243-122

Sun-Rys DISTRIBUTING 800-747-7091

Doors & Windows

7660 Series Steel Combination Doors

SIZE		1-1/4" White Storm Buster Storm Door: 4" Jamb	6" Jamb
34 X 76	LH	207-964*	209-964*
	RH	207-864	209-264*
34 X 78	LH	207-965	
	RH		
34 X 80	LH	207-966*	209-966*
	RH	207-866	209-266*
38 X 80	LH	207-986	209-986
	RH	207-886	

*denotes stock item

The rough opening of the door is equal to the call size, listed herein as “SIZE”. To determine if the door is a LEFT or RIGHT hinge, look at the door from the outside to see which side the hinges are on.

SERIES 7660 HOUSE TYPE STEEL DOOR

The 7660 Series Door is completely prehung & ready to install. It is an efficient thermal entrance system for manufactured homes.

Standard Features:

- 25 Gauge steel door core
- Prefinished jamb system
- Metal blind stop with residential style Q-Lon weather-strip located on three sides
- Thermally broken threshold
- Four Leaf sill sweep
- Knob/Knob lock set with deadbolt
- Self-storing heavy duty aluminum framed storm door with stainless steel bushings in hinges

Options include:

- Stainless steel lock set and deadbolt
- Bright Brass knocker/viewer
- Jamb sets for 6” wall depth
- 5900 1-1/4” Storm Buster Storm Door

Special Orders Available
Please measure accurately as all door sales are final



Kinro

Series 5900 Storm Buster Storm Door

Special Orders Available
Please measure accurately as all door sales are final

SIZE		White 1-1/4" Storm Door
32 x 72	LH	206-752
	RH	206-652
32 x 74	LH	206-753
	RH	206-653
32 X 76	LH	206-754
	RH	206-654
32 X 78	LH	206-755
	RH	206-655
32 X 80	LH	206-756
	RH	206-656
34 X 74	LH	206-763
	RH	206-663
34 X 74	LH	206-764*
	RH	206-664*
34 X 78	LH	206-765
	RH	206-665
34 X 80	LH	206-766*
	RH	206-666
36 X 80	LH	206-776
	RH	206-676
38 X 78	LH	206-785
	RH	206-685
38 X 80	LH	206-786*
	RH	206-686*

SERIES 5900 STORM BUSTER STORM DOOR

The Storm Buster Series Storm Doors are an efficient compliment to most of the residential entry doors.

Standard Features:

- Wide frame on storm leaf profile
- Lip overrides Z-bar
- Full length galvanized hinge pins with stain-less steel bushings
- Safety glass
- Fiberglass screening
- Top quality hardware
- Heavy duty kick plate

*denotes stock item

The rough opening of the door is equal to the call size, listed herein as “SIZE”. To determine if the door is a LEFT or RIGHT hinge, look at the door from the outside to see which side the hinges are on.

Vinyl Patio Door

SERIES 1600 SLIDING PATIO DOOR

Standard Features:

- Lap frame with integral siding pocket that eliminates the need for additional siding trim pieces
- Heat fusion welded frame and moving panel provides superior structural strength and prevents potential leakage.
- Staggered internal weep system allows minimum dust infiltration.
- Snap-in moving panel track with stainless steel roller guide cover designed to hold up with heavy use.
- Door easily reverses from XO to OX or OX to XO (X = moves)

SIZE	XO	OX
72 x 76	202-306	202-307

Interior Doors

Hollow Core, Light Oak color, blank. No hole drilled.

202-640 24”x78” Door
202-641 26”x78” Door
202-642 28”x78” Door
202-643 30”x78” Door

Water Heater Doors

- Blank
- Extruded outer aluminum frame
- Extruded lip around exterior perimeter of Door

201-801 20”x60” Door
201-805 23”x60” Door

Bargain Bin

Call Your Sales Rep Today

To See What Is In the Bargain Bin!

Items are always changing!

Special Requests

Call Your Sales Rep Today

If You Are Looking For Something

And not finding it in our catalog!

Series 9750 Vinyl Tilt-Out Windows

SERIES 9750 VINYL TILT-OUT WINDOW

Precisely-sized for factory built housing requirements.
Fast, easy and efficient installation

Standard Features:

- Vinyl construction provides high thermal performance.
- Frame and sash corners are welded for added strength and water tight corners.
- Dual weather seal to reduce drafts and enhance energy efficiency.
- Integral "J" trim eliminates the need for additional exterior frame accessories and covers the raw edge of the siding for a clean appearance.

Width	Height	Vertical Sliding Part # .49 Clear	Part # .35 Low-E	Part # .30 Energy Star
14"	27"	244-002K	245-002K	246-002K *
	40"	244-005K	245-005K	246-005K
24"	40"	244-025K	245-025K	246-025K *
30"	27"	244-032K	245-032K	246-032K *
	40"	244-035K	245-035K	246-035K *
	53.875"	244-037K	245-037K	246-037K *
36"	53.875"	244-047K	245-047K	246-047K *
40"	27"	244-052K	245-052K	246-052K
	40"	244-055K	245-055K	246-055K
46.25"	27"	244-062K	245-062K	246-062K *
	40"	244-065K	245-065K	246-065K *
	54"	244-067K	245-067K	246-067K *

ALL NON STOCK

denotes stock *

Special Orders Available
Please measure accurately as all door sales are final

How to Measure for Replacement Windows

There are many ways to measure for a replacement window, but we recommend you measure the rough opening and select the replacement size which is closest to it. For the rough opening of the sizes listed herein add 1/4" to the width and 3/16" to the height.

Series 9900 Vinyl Tilt-Out Windows Horizontal Sliding

Width	Height	Horizontal Sliding Part # .49 Clear	Part # .35 Low-E	Part # .30 Energy Star
46.25"	40"	244-265K	245-265K	246-265K *
62"	40"	244-275K	245-275K	246-275K *

*denotes stock item

Sun-Rys DISTRIBUTING 800-747-7091

Doors & Windows

Series 18000 Aluminum Vertical Window

Series 18000/19000
Construction Features:

- Large flush mounting flange for easy installation
- Interlocking meeting rails provide additional security and structural performance
- Quality pile weather-stripping at sash head and jambs for maximum weather resistance.
- Soft vinyl bulb gasket for additional weather seal
- Sloped sill and large built-in weep holes for superior drainage
- Jambs notched for multiple opening positions with spring-loaded latches.
- Nylon glides enable easy window sash operation

Width	Height	#18000 Vertical Slider-Mill	#5700 VS Storm-White
14"	22"	240-001K *	242-001KW
	27"	240-002K *	242-002KW
	30"	240-003K	242-003KW
	36"	240-004K	242-004KW
	40"	240-005K *	242-005KW *
	52"	240-006K	242-006KW
	53-7/8"	240-007K	242-007KW
	59"	240-008K	242-008KW
24"	22"	240-021K	242-021KW
	27"	240-022K *	242-022KW
	30"	240-023K	242-023KW
	36"	240-024K	242-024KW
	40"	240-025K *	242-025KW *
	52"	240-026K	242-026KW
	53-7/8"	240-027K	242-027KW
	59"	240-028K	242-028KW
30"	21-3/4"	240-031K	242-031KW
	27"	240-032K *	242-032KW *
	30"	240-033K	242-033KW
	36"	240-034K *	242-034KW
	40"	240-035K *	242-035KW *
	52"	240-036K *	242-036KW *
	53-7/8"	240-037K *	242-037KW *
	60"	240-038K	242-038KW
36"	22"	240-041K	242-041KW
	27"	240-042K	242-042KW
	30"	240-043K	242-043KW
	36"	240-044K *	242-044KW *
	40"	240-045K *	242-045KW *
	52"	240-046K	242-046KW
	53-5/16"	240-047K	242-047KW *
	60"	240-048K	242-048KW
40"	22"	240-051K	242-051KW
	27"	240-052K	242-052KW
	30"	240-053K	242-053KW
	36"	240-054K	242-054KW
	40"	240-055K	242-055KW
	52"	240-056K	242-056KW
	53-7/8"	240-057K	242-057KW
46.25"	27"	240-062K *	242-062KW *
	30"	240-063K	242-063KW
	36"	240-064K	242-064KW
	40"	240-065K *	242-065KW *
	52"	240-066K	242-066KW
	53-7/8"	240-067K *	242-067KW *

Series 19000 Aluminum Horizontal Window

Width	Height	#19000 Horizontal Slider-Mill	#5800 HS Storm-White
24"	14"	240-120K	242-120KW
	22"	240-121K	242-121KW
	27"	240-122K	242-122KW
	30"	240-023K	
30"	14"	240-130K	242-130KW
	22"	240-131K	242-131KW
	27"	240-132K	242-132KW
	36"	240-134K	242-134KW
	40"	240-135K	242-135KW
36"	14"	240-140K	242-140KW
	22"	240-141K	242-141KW
	36"	240-144K	
40"	14"	240-150K	242-150KW
	22"	240-151K	242-151KW
	27"	240-152K	242-152KW
	36"	240-154K	242-154KW
	40"	240-155K	242-155KW
	52"	240-156K	242-156KW
46"	14"	240-160K	242-160KW
	22"	240-161K	242-161KW
	27"	240-162K *	242-162KW
	36"	240-164K	242-164KW
	40"	240-165K *	242-165KW *
	52"	240-166K	242-166KW

Special Orders Available
Please measure accurately as all window sales are final

NOTE: Glazing, latches, springs, spline, etc available as well

call for pricing!

* denotes stock

TruGard™ PREMIER VINYL SKIRTING

TruGard Premier by Haverford was the first vinyl skirting product and is still the leader, in use on one-third of the manufactured homes in America

- TruGard panels are thirteen-inches wide (as opposed to 16 inches) for greater installed strength
- Extra thick so they stay straight and resist buckling, for a beautiful, flat, smooth appearance
- Rich woodgrain finish available in White, Sand, Cameo, or Gray with color clear through, so scratches won't show
- Patented interlocking design holds TruGard panels tight - and the holding power actually increases under wind load
- Top rail is designed for superior holding strength, and our U-shaped ground channel provides better stability
- Limited Lifetime, 50-Year Transferable Warranty

Panel & Trim Length 12'

Description	White	Sand	Cameo	Gray
Solid Panel (Carton of 15)	290-000-BOX	290-002-BOX	290-004-BOX	290-005-BOX
Vented Panel (Carton of 15)	290-100-BOX	290-102-BOX	290-104-BOX	290-105-BOX
Trim Kit (Carton of 14 sets)	290-200	290-202	290-204	290-205
Top Trim Mount (Carton of 40)	290-300	290-302	290-304	290-305
Top Trim Front (Carton of 40)	290-400	290-402	290-404	290-405
Ground Channel (Carton of 40)	290-500	290-502	290-504	290-505

Ground Spike & Nail Kit 460-562
126 Spikes & 252 Nails

TruGard Skirting Size Chart

Home Size	Panels	Trim
12 x 65 x 28"	27	13
12 x 65 x 30"	29	13
12 x 65 x 36"	34	13
12 x 65 x 42"	45	13
14 x 70 x 28"	30	14
14 x 70 x 30"	31	14
14 x 70 x 36"	37	14
14 x 70 x 42"	50	14
16 x 80 x 28"	34	16
16 x 80 x 30"	36	16
16 x 80 x 36"	43	16
16 x 80 x 42"	57	16
24 x 60 x 28"	30	14
24 x 60 x 30"	31	14
24 x 60 x 36"	37	14
24 x 60 x 42"	50	14

Vent panel averages one out of every 6 panels

UPS





Skirt Hang'R

Pre-drilled and slotted for easy adjustment. Galvanized to last a lifetime. 50/Ctn

130-703 Skirt Hang'R Bracket

Skirt Guard

Protect new and existing skirting from the damaging effects of string trimmers. 30/Ctn

296-000 Skirt Guard, White 7'

Outside Accessories

Sun-Rys DISTRIBUTING 800-747-7091

LIFESTYLE®

"Easy To Do" Vinyl Skirting

The Features You Want
The Value You Need

UPS

- Lifestyle is the best combination of performance and value
- Lifestyle panels are sixteen-inches wide
- Rich woodgrain finish available in White, Sand, Cameo, Silver Grey, or Clay
- Patented interlocking design holds Lifestyle panels tight - and the holding power actually increases under wind load
- Top rail is designed for superior holding strength, and our U-shaped ground channel provides better stability
- 15-year Limited Warranty

Panel Length 11'8", Trim Length 11'7"

Lifestyle Skirting Size Chart

Home Size	Panels	Trim
12 x 60 x 28"	21	12
12 x 60 x 35"	26	12
12 x 60 x 42"	34	12
12 x 65 x 28"	22	13
12 x 65 x 35"	28	13
12 x 65 x 42"	37	13
14 x 70 x 28"	24	14
14 x 70 x 36"	30	14
14 x 70 x 42"	40	14
16 x 80 x 28"	28	16
16 x 80 x 36"	35	16
16 x 80 x 42"	46	16
24 x 60 x 28"	24	14
24 x 60 x 36"	30	14
24 x 60 x 42"	40	14

Vent panel averages one out of every 6 panels

Description	White	Sand	Cameo	Grey	Clay
Solid Panel (Carton of 12)	295-000-BOX	295-004-BOX	295-005-BOX	295-002-BOX	295-006-BOX
Vented Panel (Carton of 12)	295-100-BOX	295-104-BOX	295-105-BOX	295-102-BOX	295-116-BOX
Trim Kit (Carton of 14 sets)	295-200	295-204	295-205	295-202	295-206
Top Trim Mount (Carton of 40)	295-300	295-304	295-305	295-302	295-306
Top Trim Front (Carton of 40)	295-400	295-404	295-405	295-402	295-406
Ground Channel (Carton of 40)	295-500	295-504	295-505	295-502	295-506

HOME PRIDE

Platform Fiberglass Steps w/enclosed back

- Steps constructed of heavy-duty treated plywood and 2 x 4's designed to last decades even under heavy water contact.
- Deep-penetrating treatment protects all exterior and interior wood against rotting, warping and other decay.
- Fiberglass and resin exterior coating provides strength and durability.
- White or sand exterior with special "Black Buckshot" finish for added visual appeal.
- Slip-resistant texture on all treads and landings for additional safety.

38" Deep x 38" Wide Platform

100-250	2 Step & platform, 24" Height
100-251	3 Step & platform, 28" Height
100-253	3 Step & platform, 32" Height
100-255	4 Step & platform, 35" Height

38" Deep x 48" Wide Platform

100-252	3 Step & platform, 28" Height
100-254	3 Step & platform, 32" Height
100-256	4 Step & platform, 40" Height

38" Deep x 72" Wide Platform

100-257	3 Step & platform, 32" Height

B.O.C.A. approved rails w/bolt kit

100-640K	Handrail 24H x 38P
100-642K	Handrail 28H x 38P
100-643K	Handrail 32H x 38P
100-641K	Handrail 36H x 38P
100-644K	Handrail 40H x 38P
100-645K	Backrail 38W
100-646K	Backrail 48W

Xi2 Concrete Foundation System

Xi2 Concrete Lateral Systems

Includes: 5’ Strut, Bracket, & Hardware





Xi2 Longitudinal Hardware Kit

Includes hardware for 2 struts:
I-beam bracket, nuts, bolts and washers



130-159 Xi 2 Concrete System 5’
130-166 5’ Lateral Strut
130-167 6’ Lateral Strut
130-170 7’ Lateral Strut (for 112” I-Beam)

130-168 Concrete Lateral Hardware Kit Double
130-165 Concrete Lateral Hardware Kit Single

130-171 39” Longitudinal Strut
130-163 44” Longitudinal Strut
130-164 65” Longitudinal Strut

130-162 Longitudinal Hardware Kit (2 per box)

Xi2 Ground Foundation System

Xi2 Ground Lateral System Includes: 5’ Strut, Pad, & Hardware



130-172 5’ Xi 2 Ground System
with Lateral Strut & Hardware

130-174 39” Longitudinal Strut
130-175 44” Longitudinal Strut
130-176 65” Longitudinal Strut

130-173 Longitudinal Hardware Kit (2 per box)

Sun-Rys DISTRIBUTING 800-747-7091

Outside Accessories

Earth Anchors and Accessories

Heavy Duty Anchors

Double helix design allows for consistently smooth and easy drives, even in hard soil

Order in multiples of 8
Skid qty 256

130-101 3/4” x 30” Double Head w/two 4” helix

130-111 3/4” x 48” Double Head w/two 4” helix

Patio Anchor

For use on existing concrete slab with lag & shield bolt.

24/Ctn

130-200 Patio Anchor with Lag & Shield

130-201 Lag & Shield only 5/8” x 2-1/4”

130-202 Double tension head only

Quick-Set Stabilization Plate

- Sets Quickly
- Requires little or no hammering
- Costs no more that traditional stabilizers
- Outperforms EZ type anchors with integral stabilizers that require vertical installation
- Self drilling

130-005 Stabilizing Device, Quick-Set

Deepset Anchors

Combines anchor and stabilizer plate in one installation step. Four “digging teeth” for faster sets in hard ground.

Order in multiples of 4
Skid qty 160

130-104 3/4” x 30” Double Head w/two 4” helix and stabilizer

J Anchor

J-Anchor for installation in freshly poured concrete 5/8” x 12”

130-400 J-Anchor 24/Ctn

Split Bolt & Nut

NOTE: Anchors are shipped without bolt & nut

131-000 Split bolt
Bag = 8 Keg = 40

Roof Bracket

S -Type 24/Ctn

131-001 Galvanized standard bracket

Cross Drive Rock Anchor

Includes 2 - 3/4” x48” rods & 1 - rock anchor head

Order in multiples of 5

130-300 3/4” x 30” Rock Anchor

130-301 3/4” x 48” Rock Anchor

Eye Anchor Adapter

Adapts an eye anchor head to a standard double tension head. Includes adapter bolts. 24/Ctn

130-450 Eye Anchor Adapter

Speed Wrench

Speed Wrench simplifies anchor installation with a design that allows for one handed operation. Speed Wrench has a 15/16” impact socket on one side & a 15/16” nut on the other.

440-417 Speed Wrench

Frame Clamp with Strap

Galvanized steel strapping 1-1/4" x 7' or 15' w/clamp. Zinc coated for corrosion resistance.

50/Ctn

130-800 7' w/clamp

130-801 16' w/clamp

131-004 Frame Clamp only

Anchor Drive Machine

Electric drive machine, 18 RPM, 1/2 HP, 8.8 amp, on/off & fwd/rev switch, leverage bar, & GFI protected. Includes earth anchor adapter.

440-412 Drive Machine w/Adapter

440-411 Earth Anchor Adapter only

Soil Test Probe Kit

The Soil Test Probe it used to determine the soil conditions below the surface near the anchor's helical plate. Kit includes: Probe, torque wrench, adapter, carrying case and instruction.

440-413 Soil Test Probe Kit

Buckle with Strap



Galvanized steel strapping 1-1/4" x 7' or 15' w/buckle. Zinc coated for corrosion resistance.

50/Ctn

130-900 7' w/buckle

130-901 15' w/buckle

131-002 Buckle only

Swivel with Strap

G60 strap 1-1/4" x 7' w/swivel connector.

50/Ctn

130-154 7' w/swivel

Protecto-Strap



G60 strap protector, attached between strap and I-beam to prevent cutting and breaking.

130-702 Protecto Strap

Galvanized Strapping

Tie Down marked & certified galvanized strapping conforms to HUD Code 3280 and 3285(2). Strapping is marked every 12 inches.

130-700 1-1/4" x 37' Coil G60

130-701 1-1/4" x 600' Coil G60

Beam Clamp Hook

Beam Clamp Hook, 3" or 4" w/bolt & nut 24/Ctn

130-157 3' Beam Hook Clamp

130-158 4' Beam Hook Clamp

Strap Seal

G60 crimping seal for 1-1/4" strap, semi-closed for ease of use and strong bonds.

131-003 Strap Seal

Gator Beam Clamp

4 or 8 Bolt Longitudinal Gator Beam Clamp 4/Ctn

130-808 4 Bolt Gator Beam Clamp

130-806 8 Bolt Gator Beam Clamp

Crimping Tool

Tie Down crimp tools are designed for use with 0.035 thickness, 1-1/4" wide strap and steel crimp seals.

440-215 Crimping Tool

Sun-Rys DISTRIBUTING 800-747-7091

Seam Binder



12' Length 4" Width - 30/Ctn

420-211 Seam Binder

Wedges & Blocks

Order Wedges in multiples of 30

150-615 4 x 8"

150-616 6 x 8"

High quality Wedges and Boards all cut to a uniform size from hardwood lumber

150-624 1" x 8" x 16" 10/Bundle

150-625 2" x 8" x 16" 5/Bundle

Pocket Penetrometer

Easy to use-Eliminates installation guesswork.
Determine correct load bearing of the soil.

440-415 Pocket Penetrometer

440-416 Adapter Foot

Mobile Matt™

Unique "M" tread pattern provides ultimate traction for even the most aggressive traffic

Convenient hand holes permit easy carrying

"Cleat" design on the underside helps prevent walkout

150-640 2' x 4' Matt

150-641 2' x 8' Matt

150-643 4' x 8' Matt

Adjustable Outrigger

Easy installation—never settles
Unaffected by frost heave damage

150-653 24" for 14' wide 4/pack

150-654 36" for 16' wide 4/pack

ABS Pier Pad

Pad bearing capacity:

1,000 lb soil—2,000
2,000 lb soil—4,000
3,000 lb soil—6,000

Order in multiples of 12
Skid quantity of 288

150-632 Pier Pad 18"x16"x3/4"

Digital Electronic Water Lever

Easy, accurate, digital leveling for Manufactured Homes.

Totally sealed, reads in inches and tenths.

440-541 Water Level

Drip Caps

Extruded Aluminum

2-7/8" projection 10/Ctn

420-220 37" Length

420-221 12' Length

Teardrop Aluminum

420-222 35" Length

420-223 39" Length

Outside Accessories

Aluminum Panels

Mesa Deluxe



Custom Mesa



"S-lock" concealed panel lock. Panels are .019" thick, 48" wide before forming, and 96" long. (no common carrier shipments)

420-000 Mesa Deluxe White, Smooth without line
420-001 Mesa Deluxe White, Cedar without line
420-010 Mesa Deluxe Off-White, Smooth without line
420-011 Mesa Deluxe Off-White, Cedar without line

420-002 Custom Mesa White, Smooth with line
420-003 Custom Mesa White, Cedar with line
420-013 Custom Mesa Off-White, Cedar with line

Gutters



420-206 Gutter
Extruded 16' Mill



Mini Gutter, roll formed
Aluminum 12' Length

420-104 White Gutter

Roof Edge

Standard size



12' Length, 25/Ctn
420-200 Roof Edge

Extra Large



16' Length, 25/Ctn
420-202 Large Roof Edge

Bottom Starter

Aluminum, cedar
Finish, 7" Coverage
9" x 12"

420-100 White Bottom

Top Starter

Aluminum, cedar
Finish, 6" x 12"

420-101 White Top
420-109 Brown Top

Corner Trim

Aluminum, cedar
Finish, 4-3/4" x 12"

420-102 White Corner
420-108 Brown Corner

Cap Trim

Aluminum, cedar
Finish, 3-1/8" x 12"

420-103 White Cap

Storm Door Expand-

420-226 Storm Door
Expander 1-1/2" x 12'

Sun-Rys DISTRIBUTING 800-747-7091

Patio Covers

Deluxe V-Pan Patio Cover

The Deluxe V-Pan patio cover pan is 8" and is available in three colors: white, wheat, or bronze. It has several different trim colors that can be added to accent your home. Stand on the deluxe v-pan cover is an easy cleanout gutter system with a swivel two piece hanger.

Flat Pan Patio Cover

The Flat Pan patio covers make perfect ceilings for screen enclosures and patio covers. They feature a large 5" x 5" extruded gutter system.

All Patio Covers are special order and drop-shipped. Call sales today for more information.

Car Port

Car Port

The Car Port covers is the perfect way to keep vehicles out of the elements. They feature a large 5" x 5" extruded gutter system.

All Car Ports are special order and drop-shipped. Call sales today for more information.

Outside Accessories

Park Development Supplies

Midwest Electric Products, Inc.

Post Mounted Metered Pedestals

R101CP6HP



Service Entrance
100 Amp Ringless
Pedestal

331-521 100 Amp

R281C1P6H



Service Entrance
200 Amp Ringless
Pedestal

331-522 200 Amp

Thermaline Sanitary Freezeless Water Connector

The Thermaline is ideal wherever a freezeless sanitary tight line installation is needed.

Hydrants

650-003	3’
650-004	4’
650-005	5’
650-006	6’
650-007	7’

WOODFORD

Service Entrance Wire

Romex Type NM-B

Copper, 2 conductor with ground

300-411 12/2 with Ground 250’
300-410 10/2 with Ground 250’
300-430 8/2 with Ground 125’

Type UF-B

Copper, 2 conductor with ground, suitable for direct burial

300-420 10/2 with Ground 250’
300-440 8/2 with Ground 125’

Ground Wire

Bare stranded Copper

300-471 #4 x 500’ Bare Stranded
300-480 #6 x 315’ Bare Stranded

Triplex

Insulated stranded aluminum, 3 conductor. Underground service entrance applications.

300-460 2 - #2 and 1 - #4, 1000’

Type USE-2 Copper

Insulated stranded aluminum, 1 conductor. Suitable for underground service entrance applications.

300-455	2/0 x 1000’
300-450	#2 x 1000’
300-451	#4 x 1000’
300-452	#4 x 500’
300-456	#6 x 1000’
300-453	#8 x 1000’
300-454	#8 x 500’

Sun-Rys DISTRIBUTING 800-747-7091

Electrical

Thermostat Wire

300-405 18-4 wire 250’ roll

Electrical Tape

352-000 3/4” x 60’ Roll
Black 10/Ctn

Fuses

Dual Element
300-091 30 Amp
300-092 35 Amp
300-085 Fuse Adapter from 30 Amp to 35 Amp

Type S
300-080 15 Amp
300-081 20 Amp
300-082 30 Amp

Romex Fitting

300-650 3/8” (1/2” K.O.) Conn. 100/Ctn

300-651 3/4” Conn. 50/Ctn

Wire Nuts

Sold Packs Of 100

351-903 X-Small (Blue)
351-900 Small (Orange)
351-901 Medium (Yellow)
351-902 Large (Red)

Ground Rod & Clamp

300-490 Ground Rod 5/8” x 8’ Copperbonded Steel

300-495 Ground Clamp, Connects #8 solid thru 1/0 stranded

Power Outlet

330-511 RV Power Outlet #U013C

Cable Ties

351-800 4” Nylon 100/pack
351-803 7.5” Nylon 100/pack
351-809 48” Nylon Individual

Thermocouples

Automatically shuts off gas control if pilot light goes out. Complete with adapters -- replaces most models.

300-715 18” Thermocouple
300-716 24” Thermocouple
300-717 30” Thermocouple
300-718 36” Thermocouple

Circuit Breakers

Single Pole 24/Ctn

300-000 15 Amp
300-001 20 Amp

Thin Twin 12/Ctn

Single Pole:
300-006 2 - 15 Amp
300-007 2 - 20 Amp

Single/Double Pole:
300-015 2 - 15 Amp
Single Pole & 1 - 30 Amp Double Pole

Double Pole 12/Ctn

300-004 20 Amp
300-009 25 Amp
300-003 30 Amp
300-005 35 Amp
300-002 40 Amp
300-010 45 Amp
300-011 50 Amp
300-008 100 Amp

Porch Light

Black metal base

Permanent mount, 110 volt.

Purchase shade separately

370-000 Fixture 24/Ctn

371-203 Shade - clear 3-3/4" dia., 4" tall, 3-1/4" lip fitter 32/Ctn

378-001 Thumb Screws

Lantern Porch Light

Plastic body with plastic clear crackle shade, 110 volt.
8-1/2" dia, 19-1/2" height.
Includes stud kit.

370-002 Porch Light Black
370-003 Porch Light White
378-002 Stud Kit

Pin-Up Light

Polished brass finish, clear crystal open top shade.

Takes 1 60-watt bulb.

Purchase shade separately.
24/Ctn

370-200 Fixture, 2-1/4"

371-200 Shade 5" diameter 5-1/2" tall, 2-1/4" neck

Ceiling Light

Brushed Nickel finish

Takes 1 60-watt bulb.

Purchase shade separately.

370-103 Fixture, 3-1/4"



371-202 Shade - white 6-3/4" dia., 3-1/4" lip fitter
24/Ctn



371-209 Shade - clear crystal 6-3/4" dia., 3-1/8" lip fitter
24/Ctn

Two bulb fixture, white plastic diffuser.

Purchase shade separately.

370-102 Fixture 24/Ctn.

371-300 White Shade
12" 36/Ctn.

378-000 White Plastic Nut

Replacement Shade

371-300 White Shade
12" 36/Ctn.

White Ventline 4" Lens cover. For ceiling fan w/light

371-301 Shade

Shade - white/clear glass 8-1/2" dia., 8" lip fitter

20/Ctn

371-208 Shade

Diffused light lens for Range Hood

371-302 3" x 9-1/2" no lip
371-304 3" x 9-1/2" with lip

Sun-Rys DISTRIBUTING 800-747-7091

Screwdrivers

Square Recess

440-010 #0-Yellow square
440-011 #1-Green square
440-012 #2-Red square
440-014 #2-Red Heavy Duty square

Nut Driver

440-000 1/4" nut driver

5-in-1 Magnetic

440-020 5-in-1 screwdriver

Clutch Driver

440-022 #3 - 5/32" Clutch

Phillips Driver

440-031 #2 Phillips

Slotted Driver

440-041 1/4" Slotted
440-042 5/16" Slotted

Screw-In Element Wrench

Fits 1-1/2" nut
Reaches in offsets
Works with any screwdriver

440-530 Element Wrench

Copper Tubing Cutter

Heavy Duty
1/4" - 1-5/8"

440-121 Copper Tubing Cutter

Mini Tubing Cutter

1/8" - 7/8"
6 Ctn Qty

440-120 Mini Tubing Cutter

Tubing Cutter

Ratchet

Scissor

Poly Tubing Cutter

440-125 Ratchet type
440-126 Replacement blade for Ratchet type
440-130 Scissor type

Caulking Gun

440-230 Caulking Gun 6/Ctn

Anchor Drive Machine

Electric drive machine, 18 RPM, 1/2 HP, 8.8 amp, on/off & fwd/rev switch, leverage bar, & GFI protected. Includes earth anchor adapter.

440-412 Drive Machine w/Adapter

440-411 Earth Anchor Adapter only

Side-Action 1-1/4" Strap Sealer

Tie Down crimp tools are designed for use with 0.035 thickness, 1-1/4" wide strap and steel crimp seals.

440-215 Crimping Tool

Tape Dispenser

480-091 2" Tape Dispenser

480-012 2" Carton Sealing Tape

Utility Knife

440-150 Utility Knife
440-155 5-pack Replacement Blades

Sun-Rys DISTRIBUTING 800-747-7091

Skirting Crimp Tools

440-220 Crimp Tool SL5 Std

440-221 Crimp Tool SL8P Dlx
440-219 Replacement Spring

Digital Electronic Water Lever

Easy, accurate, digital leveling for Manufactured Homes.

Totally sealed, reads in inches and tenths.

440-541 Water Level

Looking for something specific?

Give us a call and we'll see what we can do for you!

Pex/Poly Crimp Tools

Marshall Brass - Steel Handles

440-200 3/8" Ring
440-202 1/2" Ring
440-204 3/4" Ring

Qest - Full Circle Crimp Tools

Aluminum Handle
440-201 3/8" Ring Qest
440-203 1/2" Ring Qest
440-205 3/4" Ring Qest

Small
440-222 3/8" Ring
440-223 1/2" Ring
440-224 3/4" Ring

Gas Pressure Tester

440-540 Pressure Test Kit

Ask about

Our

Bargain

Bin!

Smoke Alarms

Battery 120 Vac

9 Volt Battery operated or direct wire 120 Vac

300-710 9 Volt (battery incl)
300-711 120 Vac

CO Detector

Battery 120 Vac

9 Volt Battery operated or direct wire 120 Vac

300-720 3-AA's (battery incl)
300-721 120 Vac

Sun-Rys DISTRIBUTING 800-747-7091

Square Recess Bits

440-300 #1 x 2"
440-301 #1 x 3"
440-302 #2 x 2"
440-303 #2 x 3"
440-304 #2 x 4"
440-305 #2 x 6"

Magnetic Nut Setters

440-330 1/4" x 1-3/4"
440-331 1/4" x 2-9/16"
440-332 1/4" x 2" Tapered
440-335 5/16" x 1-3/4"

Bit Holder

440-346 1/4" Magnetic Bit Holder

Shank

440-345 1/4" x 2" w/spring pin lock

Phillips Bits

440-310 #2 x 2"
440-311 #2 x 2-3/4"
440-312 #3 x 2"

Torx Insert Bits

440-350 T-10
440-351 T-15

Reversible Sockets

440-340 1/4" x 5/8" nonmagnetic
440-341 1/4" x 1" magnetic

Clutch Bits

440-320 #2 - 1/8" x 2"
440-321 #3 - 5/32" x 1-15/16"

Slotted Bit

440-360 1/4" x 1-1/2"

Bit Kit

440-395 29 Piece Bit Kit

Squeak Ender

The Squeak Ender is a revolutionary product designed to eliminate squeaky floors.

460-600 Squeak Ender

Seam Ender



The Seam Ender uniformly draws tongue and groove decking to the joist to eliminate those unsightly seam pops.

460-601 Seam Ender

Sag Ender

The Sag Ender is support for those annoying sub-floor sags, dips and weak spots. Joist size doesn't matter, Sag Ender adapts automatically.

460-602 Sag Ender

Screws

Zinc Plated #8 - Hex Washer Head

Size	50	1,000	Case	Part #
1/2”	460-000	460-004	15,000 /	460-005
1”	460-020	460-024	8,000 /	460-025
1-1/4”	460-030	460-034	6,000 /	460-035
1-1/2”	460-040	460-044	5,000 /	460-045
2”	460-050	460-054	3,500 /	460-055

White Painted #8 - Hex Washer Head



Size	50	1,000	Case	Part #
1/2”	460-100	460-104	15,000 /	460-105
3/4”	460-110	460-114	10,000 /	460-115
1”	460-120	460-124	8,000 /	460-125
1-1/4”	460-130	460-134	6,000 /	460-135
1-1/2”	460-140	460-144	5,000 /	460-145

Zip-It Fastener

460-590 Drywall Anchor

Thumb Screw

378-001 Brass plated, #8-32 x 5/8”

Stud Kit

378-002 #8-30 2” Studs with cap nuts, 2 pack

Finial Nut

378-000 White plastic nut

Rosettes

White Rosette washer w/screw for fastening ceiling board. Bag of 100

420-302 Rosette w/Screw

Roof Rumble Button

Rumble buttons eliminate roof rumbling. 1⅛” dis steel washer with neoprene backing for the best rook leak resistance. 500/Ctn

700-900 Rumble Button

Anchor Kit

Kit includes: 100 each #8 x 1” screws and 1/4” plastic anchros

460-550 Anchor Kit

Sun-Rys DISTRIBUTING 800-747-7091

Hardware

Entrance Locks

Stainless Steel Finish

208-004 Lockset with 4-way Plunger

Brass Finish

208-014 Lockset with 4-way Plunger

Deadbolts

Stainless Steel Finish

208-204 Deadbolt with 4-way Plunger

Brass Finish

208-214 Deadbolt with 4-way Plunger

Lock & Deadbolt Set

Stainless Steel Finish

208-250 Lock & Deadbolt with 4-way Plunger & Keyed Alike

Brass Finish

208-260 Lock & Deadbolt with 4-way Plunger & Keyed Alike

Replacement Latch

208-404 Plunger f/Lockset 4-way

208-414 Plunger f/Deadbolt 4-way

Passage Locks

Passage lock for interior doors. Plain knob on both sides where no locking is required.

208-030 Metal, Brass

Privacy Locks

Privacy lock for bedroom and bathroom doors. In an emergency, door can be unlocked with a screwdriver

208-040 Metal, Brass

Storm Door Hardware

208-302 Hardware Kit with Chain and Spring

208-310 Chain and Spring Only

208-300 Latch w/Brackets Only

208-301 Closer Plunger w/Brackets Only

Close-Off Film

400-351 14’ x 300’ White 6 mil

400-363 4” x 180’ White

Vapor Barrier

400-331 20’ x 100’ Clear 6 mil

400-333 20’ x 100’ Black 6 mil

Bottom Board Material

Black woven polyethylene fabric, uncoated

133-001 14’4” x 70’ Roll

133-010 28” x 100’ Roll

FLEX-MEND™

133-050 28”x25’ Roll Fabric 20/Ctn

133-055 4” x 180’ Tape 12/Ctn

133-056 6” x 180’ Tape 12/Ctn

A Do-It-Yourself Bottomboard Repair Kit for home owners. 10 Square Feet 54” x 24” packed with 20 Square Feet 108”x28” of woven polyethylene bottomboard. Allows the home owner to repair small holes, tears and cuts by making patches of Flex-Mend, or to repair large damaged areas where the original bottomboard is missing using the bottomboard replacement material. Then, Flex-Mend can be cut into strips and applied as a tape to seal the uncoated bottomboard patch in place.

133-060 Flex Mend Kit 15/Ctn

Crank Handles

1” with screw

248-000 Plastic
248-010 Metal

2” with screw

248-001 Plastic
248-011 Metal

3” with screw

248-002 Plastic
248-012 Metal

Rack Operator

248-201 1-25/32” - 2-1/8” C to C hole measurements #800

Operator

248-301 1-1/4” - 1” C to C mounting hole measurements #803

5/16” Square

248-403 #736 L.H.

248-404 #747 R.H.

248-405 #761

Operator

248-300 1-1/4” - 1” C to C mounting hole measurements #802

3/8” Hex

248-412 #759 Unhanded

248-413 #1739 R.H.

248-410 3/8” #715 R.H.

Operator

248-303 1” - 11/16” C to C mounting hole measurements #812P

248-402 #735 R.H.

248-400 #808 R.H.

Need New

Windows?

Check out page 22!

Hinges

PART #	A	B	C	D	E	F
248-503 #786C	3/16	2-3/16	3-1/8	7/16	3-3/4	W/ STUD
248-504 #835C	3/16	2-3/16	3-1/8	1	4-3/8	W/ STUD
248-505 #836C	3/16	2-3/16	3-1/8	1	4-3/8	N/STUD
248-506 #1707C	3/16	2-5/32	2-15/16	1/2	3-7/8	N/STUD

Torque Bar Arms

248-800 #724PS Square Open End

248-802 #844PS Square Closed End

248-803 #844PT Hex Closed End

248-804 #788P

248-806 #724PT Hex Open End

Torque Bar Bearings

248-707 #1774 248-708 #784 NYLON

Metal

248-720 #1777 Square
248-721 #1778 Round

Miscellaneous Door Parts

Door Surrounds 1-3/8”

Hinge Side

400-325 84” White

Lock & Top Side

400-326 120” White

Bottom Side

400-322 36” White

Drip Caps

Extruded aluminum
2-7/8” projection 10/Ctn

420-220 37” Length
420-221 12’ Length

Teardrop Drip Caps

420-222 35” Length
420-223 39” Length

Bottom Door Sweep

400-319 36” for 7660 steel door
400-323 72” for 5210 combo door

Rubber Lock

400-304 84” for 5210 door Gray

Threshold Seal

400-305 Seal for 5210 door by foot.

Bulb Seal



400-308 Seal for hinge side of 5210 door 80” Length

Frame Vinyl



400-309 Vinyl Frame for 5140 door by foot.

Strike Plate

400-116 Strike Plate

Interior Door

400-114 Hinge, Non-Mortise, 3-leaf



400-131 Hinge, Non-Mortise, Extended leaf

Looking for something specific and not seeing it?

Call Sales today to discuss it and we’ll see what we can do for you!

We welcome all questions and inquiries!

800-747-7091

Miscellaneous Window Parts

Screen Material



Roll Qty 100’

249-020 36” Wide by Foot
249-021 48” Wide by Foot
249-030 Spline by Foot

440-600 Plastic Spline Tool

Screen Frame

420-121 VS Mill 7’
420-122 VS Brown 12’
420-123 VS White 7’

249-010 Corners, Silver 24/Ctn
249-023 Corners, Black 24/Ctn
249-035 Corners, White 24/Ctn

249-016 Springs, Bag of 24

Storm Clips

248-100 Brown Clip w/Screw
248-101 White Clip w/Screw

249-080 Self Storing Storm Clip

Glazing

249-000 White Alum 8’ Square
249-026 White Alum 12’ Cove
249-002 White Vinyl 20’ Cove

Pivot Bars

249-031 Pivot Bars, f/Vinyl

Tilt Latch

249-081 White Vinyl LH
249-082 White Vinyl RH
249-083 Center Lock Cover

Slidebolts

Self Storing Storm Slidebolts

249-008 Slidebolt LH #3733
249-009 Slidebolt RH #3732
249-064 Slidebolt Spring

Storm Door Slidebolts

249-072 Storm Door Left
249-073 Storm Door Right

Corner Keys

Storm Door & Storm Window Corners (Plastic)

249-013 Top LH Swivel
249-018 Top RH Swivel
249-017 Lower

Guide

249-006 Sailor HS Windows
249-070 Sash Guide VS

Glide

249-060 Glide for VS Insert

Glass Edge Seal

400-316 Glass Edge Seal
By Foot

Corners

249-011 Corner Silver 24/Ctn
F/Torque Windows Lipframe

Sun-Rys DISTRIBUTING 800-747-7091

Hardware

Miscellaneous Parts

Closet Door

400-140 Closet Door Track, Dbl

400-109 Floor Guide #1044
Adj 3/4” to 1-3/8” doors

400-110 2-Way Snugger & Guide

400-107 Bi-Fold Top Pivot
400-123 Bi-Fold Bottom Pivot

400-106 Bi-Fold Top Pivot #2256

400-102 Top Hanger Assembly
#2318 f/sliding closet door



400-103 Bottom Hanger Assembly
#2319 f/sliding closet door

400-122 1/2” Offset Beveled
Bypass Closet Door #WP9208B

Drawer

Front Saddle Guide

400-009 Drawer Guide

Front Rollers

400-011 Front Roller set, LH & RH

Tilt Out Center Roller

400-003 Center Roller, Tilt Out

Cabinet Catch & Clip

400-113 Catch and Clip

Mono Rail

400-005 24” Track

400-006 End Socket

400-007 Guide

Notes:

PHOENIX FAUCETS

Making Water Work Beautifully

Bar Faucet

610-200NL
4" Bar faucet, with 9" spout, plastic under-body
12/Ctn

Lavatory

12/Ctn

610-101 4" Lavatory faucet, less pop-up, plastic underbody

610-120NL 4" Lavatory faucet, less pop-up, plastic underbody

Kitchen

610-001 8" Kitchen faucet, plastic underbody, without sprayer

610-005NL 8" Kitchen faucet, plastic underbody, bent tube spout, without sprayer

12/Ctn

610-002NL 8" Kitchen faucet, plastic underbody, with sprayer

610-020NL 8" Kitchen faucet, plastic underbody, single lever, without sprayer

Tub & Shower

12/Ctn

610-310 8" 2-Valve Diverter tub & shower faucet, brass body, with shower head, arm & flange

12/Ctn

610-311 8" 3-Valve Diverter tub & shower faucet, brass body, with shower head, arm & flange

12/Ctn

610-320 8" 2-Valve Diverter exposed tub & shower faucet, plastic body, with shower head, arm & flange

Garden Tub

610-403 Garden Tub faucet, 8" non-adjustable plastic underbody 12/Ctn

610-400 8"-24" adjustable brass underbody 12/Ctn

610-401 8" non-adjustable brass underbody 12/Ctn

610-402 Garden Tub faucet, 8" non-adjustable 3-valve diverter, brass underbody 12/Ctn

Tub & Shower

610-300 4" concealed shower line, tub & shower faucet, brass body with shower head, arm & flange 12/Ctn

610-301 4" exposed shower line, tub & shower faucet, brass body with shower head & bracket. Riser nut for attaching shower riser 12/Ctn

610-302 4" exposed tub & shower faucet for hand held shower, brass body 12/Ctn

610-305 3-3/8" concealed shower line, tub & shower faucet, brass body with shower head, arm & flange 12/Ctn

610-306 3-3/8" exposed shower line, tub & shower faucet, brass body with show-er head & bracket. Riser nut for attaching shower riser 12/Ctn

610-325 Utopia 8" 2-Valve Diverter "V" hole pattern 20/Ctn

Shower

610-302 4" exposed shower faucet for hand held shower, brass body 12/Ctn

610-380 4" concealed shower faucet with shower head, arm & flange, plastic body 12/Ctn

610-316 8" exposed shower faucet with shower head, arm & flange, plastic body 12/Ctn

610-315 8" concealed shower faucet with shower head, arm & flange, brass body 12/Ctn

Sun-Rys DISTRIBUTING 800-747-7091

Handles

618-002 Phoenix Hot & Cold set 9-40-9-16HC

618-001 Phoenix Arrow Handle 9-40-9-16A

618-007 Utopia Hot & Cold set

618-014 Utopia Knob Each

618-070 Utopia Diverter Knob

618-000 Hot & Cold Metal Lever set 9-35-H

618-005 Garden faucet Hot & Cold set 9-38-9-16HC

Kitchen Spout

618-300 8” Decorative Spout 9-52-78-0

618-301 8” Tubular Spout 9-50-78-0

Diverter Tub Spout

618-310 8” Spout 60-7C

618-311 8” Spout 70-7C

618-312 for Telephone Shower Spout 70-7D

618-313 4” Spout 48-7-0

618-314 Garden Spout 39-7-0

Washerless Cartridge

618-210 Phoenix P82 (shown)

618-215 Streamway P22 ¼ turn

618-221 Utopia set 2 39004

618-234 Phoenix N-1103-5-0

618-235 Phoenix N-1300-5-0

618-236 Phoenix 6-1101-5-0

618-237 Phoenix 6-1201-5-0

618-238 Phoenix Spring & Washer set 6-1201-341

Stem & Bonnets

618-200 Left & Right set for 3-3/8” C -C 9-40-5-0RLH

618-201 Right set for 4”, 8” exp T & S, for Lav 9-41-5-0RH

618-202 Right set for 2 & 3 Valve concealed 9-61-5-0RH

Index Button

618-010 “H” Button 40-16H

618-011 “C” Button 40-16C

618-012 “A” Button 40-16A

618-302 Utopia H & C Set

618-009 Utopia “H” Button

618-008 Utopia “C” Button

Diverter Stem

618-500 Old Style 9-60-4-0

618-503 New Style 9-639-5-0

Service Parts Kit

618-753 Service Parts Kit

This kit contains 162 pieces of commonly used replacement faucet parts

Plumbing

Sun-Rys DISTRIBUTING 800-747-7091

Telephone Shower

610-500 Telephone Shower multiple settings, 60” hose

Seats

Set of 2

618-100 3-3/8” Concealed 9-30-1

618-101 2 Handle Exposed 9-40-1

618-102 2&3 Concealed 9-60-1

618-104 2 Handle Garden Tub 9-38-1

Washer & “O” Rings

618-751 Seat Washer 10/pack 9-40-3-2

618-750 Duro Black Seat 40-3-1

618-701 Bonnet “O” Ring 60-5-6

617-700 Stem “O” Ring 40-6

Shower Heads

618-400 White 3/8” 9-34W-3/8

618-401 White 1/2” 9-34W-1/2

Shower Arm

618-410 1/2” Shower arm with chrome flange, plastic body. 9-60-10/8C

Risor Pipe

618-420 50” Chrome Risor 35-50C

Elbows

610-525 Hook Up Elbow LHB 4A

Allen Wrench

440-535 5/16” Seat Wrench

Aerator

618-600 Aerator 50-19C

Wall Flange

618-502 Wall Flange 60-8C For 2&3 valve

Nylon Flare Insert

631-300 Nylon Flare Insert for faucet connections

Faucet Clamps

618-505 Faucet Clamp, pair

Lavatory Sinks-ABS

17 x 20 Oval less overflow

600-600 White

600-601 Ivory

Kitchen Sinks

600-710 Stainless Steel Sink
33”x19” w/ledge
7” Depth 4-hole

Rubber Stopper

12/Ctn

601-020 Duo-fit Stopper
1-1/8” to 1-1/4”

601-023 Duo-fit Stopper
1-3/8” to 1-1/2”

601-025 Duo-fit Stopper
1-5/8” to 1-3/4”

Sink Strainer

50/Ctn

601-011 Plastic body basket
with stainless steel ring.

Fits sinks 3-1/4”-4” opening

C.O. Plug

Lavatory drain CO plug, one piece 1-1/4” x 5”, stainless steel ring, ABS body

50/Ctn

601-030 C.O. Plug

Continuous Waste



25/Ctn

601-410 1-1/2” Adjustable
Continuous Waste ABS

25/Ctn

601-411 1-1/2” Adjustable
Continuous Waste ABS
With Dishwasher tailpiece

601-420 1” Flat rubber gasket

Pop-Up Assembly

601-035 Lavatory drain
pop-up assembly
without overflow

601-036 Lavatory drain
pop-up assembly
with overflow

Flexible Gas Connectors

Dormont

Appliance Connectors

Appliance connectors, stainless steel with No-Neck design nuts. End fittings 1 each ½” FPT and ½” MPT (tapped ⅜” F.I.P.)

25/Ctn

⅝” OD ½” ID

690-400 12” Length
690-401 18” Length
690-402 24” Length
690-403 30” Length
690-404 36” Length
690-405 48” Length

Gas connector fittings

690-450 ½”MPT(tapped ⅜” FIP)
690-451 ¾”MPT(tapped ½” FIP)
690-452 ½” FPT
690-453 ¾” FPT

MH Gas Connectors

Mobile Home approved gas connectors, design certified AGA requirements #3-87. For gas connection from mobile home to gas supply; also used for double-wide connection. Stainless steel with PVC coating.

1” OD ¾” ID

¾” FPT x ¾” MPT
(tapped ½” F.I.P.)

690-414 24” Length 15/Ctn
690-415 36” Length 15/Ctn

1-¼” OD 1” ID

1” FPT x 1” MPT
(tapped ¾” F.I.P.)

690-419 24” Length 10/Ctn
690-420 36” Length 10/Ctn

Kinro Composites

Heavy Duty ABS Garden Tub



ABS Garden Tub - White or Ivory - One piece with apron. 1/8” thick thermoformed ABS plastic with foam base & permanently attached support pieces with legs. Non-skid surface Center drain

A B C	White	Ivory
46” x 60” x 21” outside step	600-018	600-010
42” x 60” x 20-1/4” step-less	600-019	600-015
40” x 54” x 17-1/16” outside step	600-020	600-016
40” x 60” x 17-1/16” outside step	600-021	600-017

Standard ABS Tub



ABS Bath Tub - White or Ivory - One piece with apron. Thermoformed from high impact ABS plastic to assure durability and uniform color throughout. Non-skid surface

600-000	White - Left Drain	600-002	Ivory - Left Drain
600-001	White - Right Drain	600-003	Ivory - Right Drain
600-006	White - Center Drain	600-007	Ivory -Center Drain
420-235	White - Trim Kit ABS	420-236	Ivory -Trim Kit ABS

Corner ABS Tub

600-008 ABS Corner Tub
54” x 54” White Only

One piece with apron & step. Thermoformed from high impact ABS plastic to assure durability.

Tub Surround ABS

Tile design panel set formed of ABS - One Piece 57-3/8” in height. Soap dish on back wall.

600-505 White 54” x 27”
600-506 Ivory 54” x 27”

600-515 White Fastener 25 pcs
600-516 Ivory Fastener 25 pcs

Tile design panel set formed of ABS - Five Piece with corner caddy 57-3/8” in height.

600-500 White 54” x 27”
600-501 Ivory 54” x 27”

600-514 White f/54” & 60” garden
600-510 Ivory f/54” & 60” garden

600-515 White Fastener 25 pcs
600-516 Ivory Fastener 25 pcs

ABS Shower Pan & Surround

Permalux Acrylic
54” x 28”

600-030 White-Left Drain
600-031 White-Right Drain
600-032 Ivory-Left Drain
600-033 Ivory-Right Drain

Tile design panel set formed of ABS - Three Piece set for 54”x28” Pan

600-531 White
600-532 Ivory

Flush Valve

Non-Corrosive plastic, complete with flapper tank ball, chain, nut, and washer

24/Ctn

608-000 Flush Valve

Toilet Seat

Durable molded plastic seats

6/Ctn

601-120 White

601-121 Ivory

Tub Strainer

1-1/2" Strainer with rubber stopper, 1/4" gasket and locknut. For all in-stock tubs & shower pans.

601-000 Tub Strainer

Mansfield Flush Valve

Replaces most type of flush valves. Includes spud gasket & spud locknut. 10 3-4" Tall.

24/Ctn

608-001 Flush Valve #210

Tank Ball

Fits most conventional flush valves. High quality rubber with stainless steel chain & hook.

608-200 Tank Ball

Shower Strainer

3-1/2" Strainer with rubber stopper, 1/4" gasket and locknut. Not for in-stock shower pans.

601-005 Shower Strainer

Fluidmaster Fill Valve

Replaces ballcocks
Easy to install
Height adjusts 9"-14"
Refills quickly
Anti-siphon operation, code approved

25/Ctn

608-101 Fill Valve 400A
608-120 Repair Seal

Eljer Tank Ball

Replacement for Eljer Touch Flush Assembly. Complete kit includes tank lever, guide, chain & rubber tank ball. 12/Ctn.

608-201 EljerTank Ball

Tub & Tile Silicone

One-part fungicidal silicone for sealing around tile, sinks, showers, tubs and plumbing fixtures. Resists mildew, stains, spotting and color changes.

720-051 Almond 10.1 oz
720-052 White 10.1 oz

Ballcock

Code Approved

Special Diverter System Controls The Tank, Rim Flush Rates Required In Low-Silhouette Commodes

608-100 Ballcock 12"

Tub Molding Aluminum

420-218 Trim Kit
all 4 pieces 2-Corner 1-LH 1-RH
420-230 Corner
420-231 Left End
420-232 Right End



For tubs with back flange up to 1-1/2"

10' Length 30/Ctn

420-216 Tub Molding Aluminum

Plumbing

Sun-Rys DISTRIBUTING 800-747-7091

Closet Gasket

Sponge rubber tank to bowl gasket. 3-1/4" O.D. x 2-1/4" I.D. x 9/16" thick

12/Ctn

608-400 Closet Gasket

Wax Bowl Ring

Fits 3" & 4" Openings. Waterproof and Odorproof. Remains flexible - will not harden or deteriorate.

(no horn) 48/Ctn

601-221 Wax bowl ring less horn

With Plastic Flange Sleeve (horn) Fits 3" & 4" Openings. Waterproof and Odorproof. Ideal for short horn bowls.

24/Ctn

601-220 Wax bowl ring with Horn

Closet Bolts

2-brass bolts, 2-brass nuts, 4-brass washers, 4-inserted washers, 2-wing nuts 50/Ctn

601-200 Close Coupled Bolts, Tank to Bowl

2-screws— 1/4" x 2-1/2" with washers and cap nuts 50/Bag

601-201 Closet Screws Bowl to Floor

2-brass bolts 5/16" x 2-1/4", 2-brass cap nuts, 4 washers 50/Ctn

601-202 Closet Bolts, Bowl to Floor

Closet Flanges ABS

643-200 4"x3" Hub 50/Ctn

643-201 4"x3" MPT 50/Ctn

643-202 4"x3" FPT 50/Ctn

Tank Lever

608-300 Universal Fit, Chrome Plated w/8" Brass Arm, Plastic Spud & Nut

608-301 Mansfield Chrome Plated Lever, Plastic

Pex Tubing

100' Coils

660-030 ¼ ID x ⅜ OD 10/Ctn
660-031 ⅜ ID x ½ OD 10/Ctn
660-032 ½ ID x ⅝ OD 10/Ctn
660-033 ¾ ID x ⅞ OD 10/Ctn

20' Straight

660-041 ⅜ ID x ½ OD 50/Ctn
660-042 ½ ID x ⅝ OD 50/Ctn
660-043 ¾ ID x ⅞ OD 25/Ctn

Copper Tubing

Top Quality Soft Refrigeration Tubing

630-002 ⅜ OD x 50' 10/Ctn
630-001 ⅜ OD x 100' 5/Ctn

630-012 ½ OD x 50' 10/Ctn
630-011 ½ OD x 100' 5/Ctn

630-022 ⅝ OD x 50' 5/Ctn
630-021 ⅝ OD x 100' 5/Ctn

Black Iron Pipe

680-000 ½" x 10' Plain End
680-001 ¾" x 10' Threaded

Schedule 40 Pipe

PVC—White
642-001 1½" White PVC Pipe
642-002 2" White PVC Pipe
642-003 3" White PVC Pipe

ABS—Black
643-001 1½" Black ABS Pipe
643-002 2" Black ABS Pipe
643-003 3" Black ABS Pipe

Order in multiples of 10'

Thread Compounds

Rectorseal

Slow Dry-Soft Set
For use on a broad range of fluids and gases.

For use on metal & PVC pipe.

720-324 4 oz
720-322 16 oz

Pipe Stick

Single Compound Made Into A Stick That Applies Easily To Stop Leaks In Pipes, Tanks and Fittings

720-325 1.25 oz Stick

Pipe Hanger Strap

Steel

28 Gauge Galvanized with alternating nail & bolt holes

644-560 ¾" x 10' roll

644-561 ¾" x 100' roll

Plastic



High strength, flexible & non-conductive. Cut to any length with scissors or utility knife. Uses: pipe hanger, duct hanger, tubing strap, etc. Gray in color.

644-570 ¾x 100' roll
⅛" holes spaced every ¾"

Gas Leak Detector

Fluid detects leaks in anything that can be tested with air or gas pressure. Absolutely safe.

720-340 8 oz. 12/Ctn
720-341 1 gal. 6/Ctn

Sun-Rys DISTRIBUTING 800-747-7091

Plumbing

Warrior

Gas Water Heaters Specifically Designed for Manufactured Housing

- Guardian System: One-of-a-kind air/fuel shut-off device offers double protection
- Maintenance free - no filter to clean
- Side inlet temperature & pressure relief valve opening
- 5-year Limited Tank and 1-year Limited Parts Warranty

Part #	Gallon	Energy Factor	Jacket Dia	Height to Top	Height to T&P
620-175	30	0.61	16-1/8"	56-3/8"	50-3/4"
620-176	40	0.59	18-1/8"	58-3/8"	51-3/8"

Warrior DV

Direct Vent Gas Water Heaters

- No external vented door is required
- Provides maximum design freedom since it can be placed anywhere within the home
- Side inlet temperature & pressure relief valve opening factory installed
- 5-year Limited Tank and 1-year Limited Parts Warranty

Part #	Gallon	Energy Factor	Jacket Dia	Height to Top	Height to T&P
620-180	30	0.61	17-3/4"	57"	51-1/2"
620-132	40	0.59	19-3/4"	57-1/2"	51-1/2"
620-177	50	0.58	21-3/4"	57"	51-1/2"

Warrior

Rheemglas® Electric Water Heaters for Manufactured Housing

- Isolated tank design reduces heat loss
- High efficiency heating elements
- Exclusive Rheemglas®tank lining resists corrosion & prolongs tank life
- 5-year Limited Tank and 1-year Limited Parts Warranty

Part #	Gallon	Energy Factor	Jacket Dia	Height to Top	Height to Water
620-181	30	0.93	17-3/4"	45-1/2"	39-3/4"
620-182	40	0.93	19-3/4"	46-3/4"	40-1/4"

Roof Jack

620-735 Roof Jack 12" Max
620-736 Roof Jack 15"-32"
620-737 Roof Jack 30"-60"

Air Inlet

620-711 11-22" Air Inlet

Extension Pipe

620-731 Extension Pipe 18"

Direct Vent Roof Jack

621-735 Roof Jack 12” Max
621-736 Roof Jack 17”-32”
621-737 Roof Jack 32”-60”

Options:

Ducted Air Inlet Kit

For use when water heater is installed over a basement

621-711 Air Inlet

Extension Pipe

621-731 18” Extension

Back Flow Preventer

Prevents back flow of water from water heater.

¾” FPT x ¾” MPT

690-081 Back Flow Preventer
24/Ctn

Pressure Relief Valve

Self-Closing Relief Valve 150 & 175 PSI ¾” Male Inlet & ¾” Female Outlet.

620-710 T&P Valve
50/Ctn

Water Heater Connector

Flexible Copper

620-725 18” Length ¾” FPT
25/Ctn

Screw-In Element Wrench

Fits 1-½” nut. Reaches in offsets. Works with any screwdriver.

440-530 Element Wrench

Water Heater Thermostats

UL Listed - 1 year warranty

Energy efficient range setting

Built-in switch to prevent overheating

Detailed instructions and wiring diagrams for easy installation

628-300
Lower Thermostat

628-301
Combo Thermostat
For single element replacement.

628-302
Combo Thermostat
Double pole Upper

Water Heater Elements

Screw-In Elements

	WATTS	VOLTS
628-050	1500	110
628-051	2000	220
628-053	2500	220
628-054	3500	220
628-055	4500	220
628-056	1750	110
628-057	2000	110

Lime Elements

	WATTS	VOLTS
628-060	1500	110
628-064	3500	220
628-065	4500	220

Open Coil Elements

	WATTS	VOLTS
628-000	1500	110
628-001	1750	110
628-003	2000	240

Universal Flange

	WATTS	VOLTS
628-031	1500	110
628-032	3500	220
628-030	4500	220

Sun-Rys DISTRIBUTING 800-747-7091

Plumbing

Frostex®

Pipe Freeze Protection System

The Frostex® pipe freeze protection system is designed to freeze-protect dry or weather-proofed, insulated, aboveground residential water pipes. The heating cable uses a self-regulating conductive core that reacts to changes in temperature. As the environment becomes colder, cable resistance decreases to generate greater heat. Conversely as the environment warms, cable resistance increases to produce less heat. Therefore, every inch of pipe and valve consistently received the amount of heat needed to prevent freezing.

300-500 100’ Frostex Cable
300-502 250’ Frostex Cable
300-503 500’ Frostex Cable
300-509 Application Tape 66’

300-513 Connector Frostex GFI #9800
300-507 Cable End Seal
300-508 Thermostat, preset by SmithGates (on 35° off 45°)

Thermaline®

Freezeless
Sanitary Water Connector

WOODFORD

The Thermaline is ideal wherever a freezeless sanitary tight line installation is required.

650-003 3’ Hydrant
650-004 4’ Hydrant
650-005 5’ Hydrant
650-006 6’ Hydrant
650-007 7’ Hydrant



THERMALINE PARTS LIST

ITEM	PART#	DESCRIPTION
1	80055	Cover, Woodford
2	80056	Cover, Thermaline
3	80073	Carriage Bolt
4	80068	Wing Nut
5	80014	Handle (Brass)
*5a	80013	Handle (Brass) (For units sold before 6/1/2011)
6	80017	Packing Nut
*6a	80005	Packing Nut (For units sold before 6/1/2011)
7	30247	Packing
*7a	80008	Packing (For units sold before 6/1/2011)
8	85064	Head Nut Assembly
9	80066	Yoke Nut
10	85015	Combination Valve Assembly
**11	80062	Heater Well Thumb Nut
12	80063	Heater Well Washer
**13	85001	1' Heater Well Assembly (Includes Item 12)
13a	85002	2' Heater Well Assembly (Includes Item 12)
**14	85061	1' Heater Assembly (Includes Item 15)
14a	85062	2' Heater Assembly (Includes Item 15)
15	80061	Heater Cover
	RK-THERM	Repair Kit (Includes Items 5-12)

THERMALINE PARTS LIST

ITEM	PART#	DESCRIPTION
OPERATING PIPE (For Brass Head)		
16	80081	1' Bury (11-1/8" long)
	80082	2' Bury (23-1/8" long)
	80083	3' Bury (35-1/8" long)
	80084	4' Bury (47-1/8" long)
	80085	5' Bury (59-1/8" long)
	80086	6' Bury (71-1/8" long)
	80087	7' Bury (83-1/8" long)
OPERATING PIPE (For Cast Iron Head)		
16a	80031	1' Bury (9-3/8" long)
	80032	2' Bury (21-3/8" long)
	80033	3' Bury (33-3/8" long)
	80034	4' Bury (45-3/8" long)
	80035	5' Bury (57-3/8" long)
	80036	6' Bury (69-3/8" long)
	80037	7' Bury (81-3/8" long)

NOTES:
* Parts 5a, 6a & 7a cannot be used with 85064 Head Nut Assembly.
** Old style heaters originally used in Thermalines with cast iron covers are replaced by items 11, 13 and 14.

® Pipe Insulation Kit

R-5 Fiberglass insulation easy to apply for hot & cold water pipes. Kit contains 3"x25'x½" fiberglass wrap and 1 roll vapor barrier outer wrap. 24/Ctn

650-201 Pipe Insulation Kit

Foam Pipe Insulation

Peel Off Tape, Closed Cell Low Density Polyethylene. Pre-Slit, Self-Adhesive. ½" Wall 6' Length

650-230 ⅝" pipe 54/Ctn

650-231 ⅞" pipe 40/Ctn

650-232 1-⅛" pipe 35/Ctn

Raychem Gardian

Preassembled Heating Cable



300-530 Gardian 6'
300-531 Gardian 12'
300-532 Gardian 18'
300-533 Gardian 24'
300-534 Gardian 50'
300-536 Gardian 75'
300-535 Gardian 100'

Freeze Free Connection Kit

Not for use with Frostex® heat cable

300-511 Connector, Orange

Hand Pump

Pumps antifreeze into lines and supply tank through the faucets. Can be used for other fluid transfers. Plastic body 12/Ctn

650-110 Antifreeze Pump

Frost Proof Lawn Faucet

½" MIP X MGH, Chrome Plated with Teflon Seats 2/Ctn

690-073 6" Length
690-070 8" Length
690-071 10" Length
690-072 12" Length

Don't let your pipes freeze!

Check your insulation today to prevent major problems!

Can't find what you're looking for?

Please don't hesitate to call us and we'll see what we can do for you!

Blow Out Plug

Completely clears water lines of all water. 50/Ctn

650-120 Blow Out Plug

Stop Valve

FIP Compression stop, Brass
10/Ctn

690-000 1/2" FPT

690-001 3/4" FPT

Ball Valve

Full port, FIP quarter turn, Brass
10/Ctn

690-010 1/2" FPT
690-011 3/4" FPT
690-012 1" FPT

Straight Stop Valve

10/Ctn

661-400 QV411
½"M X ½"M
661-401 QV421
¾"M X ½"M

Straight Stop Brass Ball Valve

No Lead

10/Ctn

672-131NL ½"B X ½"B
672-132NL ¾"B X ⅜"B

Boiler Drain

MIP X MGH, Brass
12/Ctn

690-020 1/2" MPT
690-021 3/4" MPT
690-022 1" MPT

Ball Valve Water Only

Full port, FIP X FIP Brass
10/Ctn

690-015 3/4" FPT

Straight Stop Valve

10/Ctn

661-403 QV401
½"F X ½"M

Need a valve & not seeing here?

Call today and let us know...special orders are no problem!

Gas Shut-Off

FIP X FIP, Brass
10/Ctn

690-060 1/2" FPT
690-061 3/4" FPT
690-062 1" FPT

Drain Valve

10/Ctn

661-415 QV504
¾"H X ½"F
661-416 QV544
¾"H X ½"M
661-417 QV524
¾"H X ¾"M

Globe Valve

10/Ctn

661-406 QV3500
½"M X ½"M
661-405 QV3750
¾"M X ¾"M
661-408 QV4100
1"M X 1"M

Brass Stop Valve

10/Ctn

672-120 QQV466X
⅜"B X ⅜"B
672-121 QQV476X
½"B X ⅜"B

QEST Qicktite System

"Qicktite" plumbing fittings are made of polyethylene and designed for use with copper, PEX (cross-linked polyethylene), CPVC (chlorinated polyvinyl chloride) or PB (polybutylene) tubing.

Nuts, cones, and rings are not included with fittings and must be purchased separately.



The QEST seal occurs here...not on thread connection as other systems.

QEST'S unique nut - ring-cone seal provides leak-free connections.

Nuts

QEST #	SIZE
661-101 QFN1	⅜ OD Tube ½ FPT
661-102 QFN2	½ OD Tube ½ FPT
661-103 QFN3	⅝ OD Tube ¾ FPT
100/Ctn	
661-104 QFN4	⅞ OD Tube 1 FPT
25/Ctn	

Male/Female Adapters

QEST #	SIZE
660-700 QC43TF	¾ M x ½ F
100/Ctn	
660-701 QC54TF	1 M x ¾ F
660-702 QC55TF	1 M x 1 F
50/Ctn	

Street Elbows

QEST #	SIZE
660-300 QSE33TF	½ M x ½ F
660-301 QSE43TF	¾ M x ½ F
50/Ctn	
660-302 QSE44TF	¾ M x ¾ F
25/Ctn	

Rings

QEST #	SIZE
661-201 QR1	for ⅜ OD Tube
661-202 QR2	for ½ OD Tube
661-203 QR3	for ⅝ OD Tube
100/Ctn	
661-204 QR4	for ⅞ OD Tube
25/Ctn	

Female Couplings

QEST #	SIZE
660-600 QC33F	½ F x ½ F
100/Ctn	
660-601 QC44F	¾ F x ¾ F
660-602 QC55F	1 F x 1 F
50/Ctn	

Drop Ear Elbows

QEST #	SIZE
660-400 QDE33TF	½ M x ½ F
660-401 QDE43TF	¾ M x ½ F
660-402 QDE44TF	¾ M x ¾ F
50/Ctn	

Cones

QEST #	SIZE
661-301 QC1	for ⅜ OD Tube
661-302 QC2	for ½ OD Tube
661-303 QC3	for ⅝ OD Tube
100/Ctn	
661-304 QC4	for ⅞ OD Tube
25/Ctn	

Test Caps

QEST #	SIZE
660-800 QTC3F	½ Female
100/Ctn	
660-801 QTC4F	¾ Female
50/Ctn	

Test Plugs

QEST #	SIZE
660-900 QTP3T	½ Male
660-901 QTP4T	¾ Male
100/Ctn	

Pex Tubing

100' Coils

QEST #	SIZE
660-030 Q1PC100X	¼ ID x ⅜ ID
660-031 Q2PC100X	⅜ ID x ½ ID
660-032 Q3PC100X	½ ID x ⅝ ID
660-033 Q4PC100X	¾ ID x ⅞ ID
10/Ctn	

20' Straight

660-041 Q2PS20X	⅜ ID x ½ ID
660-042 Q3PS20X	½ ID x ⅝ ID
50/Ctn	
660-043 Q4PS20X	¾ ID x ⅞ ID
25/Ctn	

Tube Cutters

Ratchet Style
¼ OD to 1-⅛"

440-125 QPC752
440-126 Replacement Blade

Blade Style
¼ OD to 1-⅛"

440-127 QSTC

Scissor Style
¼ OD to 1-⅛"

440-130 Plastic Body

Male Coupling

QEST #	MPT	CTN
660-501 QC32T	½ x ⅜	100
660-502 QC33T	½ x ½	100
660-503 QC43T	¾ x ½	50
660-504 QC44T	¾ x ¾	50
660-505 QC53T	1 x ½	25
660-506 QC54T	1 x ¾	25
660-507 QC55T	1 x 1	25

Tees

QEST	A x B x C	CTN
660-100 QT333T	½ x ½ x ½	50
660-101 QT334T	½ x ½ x ¾	50
660-102 QT433T	¾ x ½ x ½	50
660-103 QT434T	¾ x ½ x ¾	50
660-104 QT443T	¾ x ¾ x ½	50
660-105 QT444T	¾ x ¾ x ¾	50
660-106 QT543T	1 x ¾ x ½	10
660-107 QT544T	1 x ¾ x ¾	10
660-108 QT545T	1 x ¾ x 1	10
660-109 QT553T	1 x 1 x ½	10
660-110 QT554T	1 x 1 x ¾	10
660-111 QT555T	1 x 1 x 1	10

Elbows

QEST #	MPT	CTN
660-200 QE31T	½ x ¼	100
660-201 QE32T	½ x ⅜	100
660-202 QE33T	½ x ½	100
660-203 QE43T	¾ x ½	50
660-204 QE44T	¾ x ¾	50
660-205 QE53T	1 x ½	25
660-206 QE54T	1 x ¾	25
660-207 QE55T	1 x 1	25

Supply Lines

Lavatory Connector
½ FPT Nuts x
⅜ OD Tubing

100/Ctn

QEST #	Length
660-024 Q118X	18"
660-025 Q124X	24"
660-026 Q136X	36"

Closet Connector
½ FPT Nuts x ⅜ OD
Tubing; Ballcock nut

100/Ctn

QEST #	Length
660-028 Q124CX	24"

Supply Lines

Toilet Water Connector
⅛ FPT Nuts x ⅞ Ballcock

25/Ctn

660-034 20" Supply Line

Flexible Water Connector

Flexible copper water connector , 18" Length

25/Ctn

671-002NL ¾ B x ¾ FPT

Flair-It® A division of ESCO

Male Connectors

10/Ctn

	MFG #	A FLARE	B MPT
635-800	16850	⅜" x	⅜"
635-801	16870	⅜" x	½"
635-802	16852	½" x	⅜"
635-803	6842	½" x	½"
635-804	16868	½" x	¾"
635-811	16872	¾" x	¾"

Male Elbows

10/Ctn

	MFG #	A FLARE	B MPT
635-400	16810	½" x	⅜"
635-401	16803	½" x	½"
635-402	16812	½" x	¾"
635-403	16808	¾" x	½"
635-809	16809	¾" x	¾"

Flare Union Elbows

10/Ctn

	MFG #	A FLARE	B FLARE
635-300	16815	⅜" x	⅜"
635-301	6800	½" x	½"
635-840	16805	½" x	¾"
635-808	16806	¾" x	¾"

Flare Nuts

10/Ctn

	MFG #	FLARE
636-400	16480	⅜"
636-401	16418	½"
636-402	16454	¾"

Female Elbows

10/Ctn

	MFG #	A FLARE	B FPT
635-501	6802	½" x	½"
635-810	6813	¾" x	¾"

Drop Ear Elbows

10/Ctn

	MFG #	A FLARE	B FPT
635-551	16801	½" x	½"

Female Connectors

10/Ctn

	MFG #	A FLARE	B FPT
635-701	16851	½" x	⅜"
635-702	16841	½" x	½"
635-703	16858	½" x	¾"
635-860	16847	¾" x	¾"

Swivel Female Elbows

10/Ctn

	MFG #	A FLARE	B FPT
636-120	16817	⅜" x	½"
636-121	16816	½" x	½"
636-122	16811	½" x	¾"
636-815	16807	¾" x	¾"

Flare Union

10/Ctn

	MFG #	A FLARE	B FLARE
635-600	16855	⅜" x	⅜"
635-603	16853	½" x	⅜"
635-601	16840	½" x	½"
635-851	16845	½" x	¾"
635-850	16846	¾" x	¾"

Flair-It® A division of ESCO

Transition Fitting

10/Ctn

	MFG #	A FLARE	B COPPER
636-191	6345	½" x	½" ID

Flare Plugs

10/Ctn

	MFG #	FLARE
635-900	16862	⅜"
635-901	16863	½"
635-902	16864	¾"

Flare Tees

10/Ctn

	MFG #	A FLARE	B FLARE	C FLARE
635-100	16831	⅜" x	⅜" x	⅜"
635-120	16830	½" x	½" x	⅜"
635-101	16820	½" x	½" x	½"
635-820	16824	¾" x	½" x	½"
635-821	16825	¾" x	½" x	¾"
635-822	16826	¾" x	¾" x	½"
635-807	16827	¾" x	¾" x	¾"

Male Tees

10/Ctn

	MFG #	A FLARE	B FLARE	C MPT
635-201	16822	½" x	½" x	½"

Ballcock Adapter Swivel

10/Ctn

	MFG #	A FLARE	
636-180	16862	⅜"	x Ballcock
636-181	16865	½"	x Ballcock

Female Swivel

10/Ctn

	MFG #	A FLARE	B FPT
636-100	16874	⅜" x	½"
636-101	16873	½" x	½"
636-102	16856	½" x	¾"
636-814	16849	¾" x	¾"

Polybutylene Adapter

10/Ctn

Adapts ¾" Polybutylene tubing to ¾" Pex fitting

	MFG #	Tube Adptr
635-819	16792	¾"

Flare Caps

10/Ctn

	MFG #	FLARE
636-001	16859	⅜"
636-002	16860	½"

Washing Machine Valve

10/Ctn

	MFG #	HOSE FLARE
636-500	6887	¾" x ½"

Angle Stop Valve

10/Ctn

	MFG #	FLARE
636-530	16883	⅜" x ⅜"
636-531	16885	½" x ½"

Straight Stop Valve

10/Ctn

	MFG #	FLARE
636-510	16879	⅜" x ⅜"
636-511	16880	½" x ½"

Pex Plumbing System

PEX (*or crosslinked polyethylene)* is part of a water supply piping system that has several advantages over metal pip (copper, iron, lead) or rigid plastic pipe (PVC, CPVC, ABS) systems. It is flexible, resistant to scale and chlorine, doesn't corrode or develop pinholes, is faster to install than metal or rigid plastic, and has fewer connections and fittings. PEX tubing is made from crosslinked HDPE (high density polyethylene) polymer.

The Federal Reduction of Lead in Drinking Water Act (42 USC 300G) will take effect January 4, 2014, requiring that any valve, fitting, or fixture coming in contact with potable water (water that is used for drinking or cooking) must have a weighted average lead content of less than 0.25%. Previous regulation defined safe levels as up to 8%.

Female Flare Swivel Adapter

100/Ctn

No Lead

672-081NL ½ B X ½ Flare

Swivel Adapter Faucet Connector

100/Ctn

No Lead

672-070NL ½ B X Faucet

Tee

No Lead		Ctn
672-000NL	⅜ X ⅜ X ⅜	100
672-005NL	½ X ½ X ½	50
672-006NL	½ X ½ X ¾	25
672-009NL	¾ X ½ X ½	50
672-010NL	¾ X ½ X ¾	25
672-012NL	¾ X ¾ X ½	50
672-013NL	¾ X ¾ X ¾	50

Female Swivel Adapter

No Lead		Ctn
672-066NL	⅜ B X ½ FPT	100
672-067NL	½ B X ½ FPT	100
672-068NL	½ B X ¾ FPT	50
672-069NL	¾ B X ¾ FPT	50
670-838	½ Spare Washer Only	100

Female Adapter

50/Ctn

No Lead

672-061NL ½ B X ½ FPT
672-063NL ½ B X ¾ FPT
672-065NL ¾ B X ¾ FPT

Coupling

50/Ctn

No Lead

672-050NL ⅜ X ⅜
672-051NL ½ X ⅜
672-052NL ½ X ½
672-053NL ¾ X ½
672-054NL ¾ X ¾

Female Swivel Elbow

50/Ctn

No Lead

672-049NL ½ B X ½ FPT Brass Nut
672-075NL ½ B X ½ FPT Poly Nut

Male Adapter

50/Ctn

No Lead

672-091NL ½ B X ½ MPT
672-092NL ½ B X ¾ MPT
672-093NL ¾ B X ½ MPT
672-094NL ¾ B X ¾ MPT

Transition Coupling

10/Ctn

Pex to Polybutylene Adapter

No Lead

672-151NL ½ Pex PB
672-152NL ¾ Pex PB

Sun-Rys DISTRIBUTING 800-747-7091

Plumbing

Elbow

No Lead		Ctn
672-030NL	⅜ X ⅜	100
672-032NL	½ X ½	100
672-033NL	¾ X ½	50
672-034NL	¾ X ¾	50

Test Plug

100/Ctn

No Lead

672-101NL ½
672-102NL ¾

Pex/Poly Crimp Tool

440-200	⅜" Ring
440-202	½" Ring
440-204	¾" Ring

Male Elbow

No Lead		Ctn
672-038NL	½ B X ½ MPT	25
672-039NL	½ B X ¾ MPT	10
672-040NL	¾ B X ¾ MPT	10

Crimp Ring

100/Ctn

672-110 ⅜
672-111 ½
672-112 ¾

Clamp

10/Ctn

644-530 3-1/16" - 4"
644-531 13/16" - 1-1/2"

Drop Ear Elbow

10/Ctn

No Lead

672-043NL ½ B X ½ FPT

Qik Crimp Ring

672-114 ⅜
672-115 ½
672-116 ¾

Looking for something specific and not seeing it?

Call us and we'll see what we can find!

Malleable Iron Pipe Fittings

Reducing Elbow 90°

	Black	Ctn
680-110	¾ X ½	40
680-111	1 X ¾	25
	Galvanized	**Ctn**
685-110	¾ X ½	40
685-111	1 X ¾	25

Elbow 90°

	Black	Ctn
680-100	½	50
680-101	¾	35
680-102	1	20
	Galvanized	**Ctn**
685-100	½	50
685-101	¾	35
685-102	1	20

Street Elbow

	Black	Ctn
680-300	½	60
680-301	¾	35
680-302	1	30
	Galvanized	**Ctn**
685-300	½	60
685-301	¾	35
685-302	1	30

Reducing Coupling

	Black	Ctn
680-510	¾ X ½	60
680-511	1 X ¾	25
	Galvanized	**Ctn**
685-510	¾ X ½	60
685-511	1 X ¾	25

Coupling

	Black	Ctn
680-500	½	60
680-501	¾	40
680-502	1	25
	Galvanized	**Ctn**
685-500	½	60
685-501	¾	40
685-502	1	25

Elbow 45°

	Black	Ctn
680-200	½	50
680-201	¾	40
680-202	1	20
	Galvanized	**Ctn**
685-200	½	50
685-201	¾	40
685-202	1	20

Reducing Tee

	Black A B C	Ctn
680-410	¾ X ½ X ½	30
680-411	1 X ¾ X ¾	30
	Galvanized	**Ctn**
685-410	¾ X ½ X ½	30
685-411	1 X ¾ X ¾	30

Tee

	Black	Ctn
680-400	½	40
680-401	¾	35
680-402	1	20
	Galvanized	**Ctn**
685-400	½	40
685-401	¾	35
685-402	1	20

Ground Joint Union

	Black	Ctn
680-700	½	30
680-701	¾	25
680-702	1	25
	Galvanized	**Ctn**
685-700	½	30
685-701	¾	25
685-702	1	25

Sun-Rys DISTRIBUTING 800-747-7091

Plumbing

Malleable Iron Pipe Fittings

Hex Bushing

	Black	Ctn
680-600	¾ X ½	50
680-601	1 X ¾	50
680-602	1¼ X ¾	30
	Galvanized	**Ctn**
685-600	¾ X ½	50
685-601	1 X ¾	50

Hex Plugs

	Black	Ctn
680-800	½	100
680-801	¾	70
680-802	1	40
	Galvanized	**Ctn**
685-800	½	100
685-801	¾	70
685-802	1	40

Cap

	Black	Ctn
680-900	½	75
680-901	¾	40
680-902	1	35
	Galvanized	**Ctn**
685-900	½	75
685-901	¾	40
685-902	1	35

Nipples

25/Ctn

DIA.	CLOSE	1½"	2"	2½"	3"	3½"	4"	4½"	5"	5½"	6"
Black ½	681-000	681-001	681-002	681-003	681-004	681-005	681-006	681-007	681-008	681-009	681-010
Galv ½	686-000	686-001	686-002	686-003	686-004	686-005	686-006	686-007	686-008	686-009	686-010
Black ¾	681-020	681-021	681-022	681-023	681-024	681-025	681-026	681-027	681-028	681-029	681-030
Galv ¾	686-000	686-001	686-002	686-023	686-024	686-025	686-026	686-027	686-028	686-029	686-030
Black 1"	681-040	N/A	681-042	681-043	681-044	681-045	681-046	681-047	681-048	681-049	681-050
Galv 1"	686-040	N/A	686-042	686-043	686-044	686-045	686-046	686-047	686-048	686-049	686-050

Black ¾ x 12" 681-039

Nipple Kit

66 Pieces

681-015 ½" Kit Black
681-035 ¾" Kit Black
686-015 ½" Kit Galv
686-035 ¾" Kit Galv

Nipple Caddy

440-700 ½" Holds 77 Pcs
440-701 ¾" Holds 66 Pcs

Black Iron Pipe

680-001 ¾ X 10' Threaded

White PVC Sch 40 Pipe & Fittings

Pipe

642-001 1½" PVC Sch 40 pipe
642-002 2" PVC Sch 40 pipe
642-003 3" PVC Sch 40 pipe

Order in multiples of 10'

90° Side Inlet Elbow

All Hub

	Size	Ctn
642-140	3 x 3 x 2	20

90° Elbow

Hub x Hub

	Size	Ctn
642-091	1½	100
642-092	2	100
642-093	3	20

90° Long Bend Elbow

Hub x Hub

	Size	Ctn
642-111	1½	100
642-112	2	80
642-113	3	20

Double Elbow

All Hub

	Size	Ctn
642-153	3 x 3 x 3	10

90° Vent Elbow

Hub x Hub

	Size	Ctn
642-101	1½	100
642-102	2	20
642-103	3	20

90° Street Elbow

Hub x Spigot

	Size	Ctn
642-121	1½	100
642-122	2	20
642-123	3	20

90° Low Heel Elbow

All Hub

	Size	Ctn
642-141	3 x 3 x 2	20

45° Elbow

Hub x Hub

	Size	Ctn
642-081	1½	100
642-082	2	100
642-083	3	20

45° Street Elbow

Hub x Spigot

	Size	Ctn
642-252	2	100
642-253	3	20

22½° Elbow

Hub x Hub

	Size	Ctn
642-071	1½	100
642-072	2	20
642-073	3	20

Sun-Rys DISTRIBUTING 800-747-7091

White PVC Sch 40 Fittings

Female Adapter

Fpt x Hub

	Size	Ctn
642-053	3	20

Male Adapter

Mpt x Hub

	Size	Ctn
642-065	3	20

Reducing Bushing

Spigot x Hub

	Size	Ctn
642-020	1½ x 1¼	50
642-021	2 x 1½	100
642-022	3 x 1½	20
642-023	3 x 2	20

Coupling

Hub x Hub

	Size	Ctn
642-011	1½	100
642-012	2	100
642-013	3	20

P-Trap

Hub x Hub

Double Union Seal

	Size	Ctn
642-181	1½	20
642-182	2	25

Trap Adapters

	Size	Ctn
Hub x Slip Joint		
642-211	1½ x 1½	100
Spigot x Slip Joint		
642-212	1½ x 1½	100
642-210	1½ x 1¼	100

Cleanout Adapter

Spigot x Fpt

	Size	Ctn
642-031	1½	100
642-033	3	20

Threaded Plug

Mpt

	Size	Ctn
642-041	1½	100
642-042	2	100
642-043	3	100

Closet Flange



	Size	Ctn
642-200	4 x 3 Hub	20

Sanitary Tee

All Hub

	Size	Ctn
642-161	1½	20
642-162	2	20
642-163	3	20

Double Tee

All Hub

	Size	Ctn
642-172	3x3x3x3	10
642-174	3x3x2x2	10
642-173	3x3x3x3x2x2	10

Wye

All Hub

	Size	Ctn
642-263	3	20

Black ABS Sch 40 Pipe & Fittings

Pipe

643-001 1½" ABS Sch 40 pipe
643-002 2" ABS Sch 40 pipe
643-003 3" ABS Sch 40 pipe

Order in multiples of 10'

90° Side Inlet Elbow

All Hub

	Size	Ctn
643-140	3 x 3 x 2	20

90° Elbow

Hub x Hub

	Size	Ctn
643-091	1½	100
643-092	2	100
643-093	3	20

90° Long Bend Elbow

Hub x Hub

	Size	Ctn
643-111	1½	100
643-112	2	80
643-113	3	20

90° Female Elbow

Fpt x Hub

	Size	Ctn
643-133	3	20

90° Vent Elbow

Hub x Hub

	Size	Ctn
643-101	1½	100
643-102	2	20
643-103	3	20

90° Street Elbow

Hub x Spigot

	Size	Ctn
643-121	1½	100
643-122	2	20
643-123	3	20

90° Low Heel Elbow

All Hub

	Size	Ctn
643-141	3 x 3 x 2	20

45° Elbow

Hub x Hub

	Size	Ctn
643-081	1½	100
643-082	2	100
643-083	3	20

45° Street Elbow

Hub x Spigot

	Size	Ctn
643-253	3	20

22½° Elbow

Hub x Hub

	Size	Ctn
643-071	1½	100
643-072	2	20
643-073	3	20

Sun-Rys DISTRIBUTING 800-747-7091

Black ABS Sch 40 Fittings

Female Adapter

Fpt x Hub

	Size	Ctn
643-053	3	20

Male Adapter

Mpt x Spigot

Mpt x Hub

	Size	Ctn
643-063	3 Spigot	20
643-273	3 Hub	20

Reducing Bushing

Spigot x Hub

	Size	Ctn
643-021	2 x 1½	100
643-022	3 x 1½	20
643-023	3 x 2	20

Coupling

Hub x Hub

	Size	Ctn
643-011	1½	100
643-012	2	100
643-013	3	20

P-Trap

Hub x Hub

Double Union Seal

	Size	Ctn
643-181	1½	20
643-182	2	25

Trap Adapters

	Size	Ctn
Hub x Slip Joint		
643-211	1½ x 1½	100
Spigot x Slip Joint		
643-212	1½ x 1½	100
643-210	1½ x 1¼	100

Cleanout Adapter

Spigot x Hub

	Size	Ctn
643-031	1½	100
643-033	3	20

Threaded Plug

Mpt

	Size	Ctn
643-041	1½	100
643-042	2	100
643-043	3	100

Closet Flange

	Size	Ctn
643-200	4 x 3 Hub	20
643-201	4 x 3 Mpt	20
643-202	4 x 3 Fpt	20

Sanitary Tee

All Hub

	Size	Ctn
643-161	1½	20
643-162	2	20
643-163	3	20

Combo Wye & 90° Elbow

All Hub

	Size	Ctn
643-283	3x3x3	5

Wye

All Hub

	Size	Ctn
643-263	3	20

Plumbing

Black ABS Sch 40 Fittings

Slip Cap

	Size	Ctn
643-241	1½	100

Tray Plug Adapter

Spigot x Fpt

	Size	Ctn
643-220	1½	50

Swivel Tray Plug Adapter

Spigot x Fpt

	Size	Ctn
643-221	1½	50
601-420	Gasket (order separately)	

Double Tee

All Hub

	Size	Ctn
643-174	3x3x2x2	20
643-172	3x3x3x3	20

Double Tee with Side Inlet

All Hub

	Size	Ctn
643-179	3x3x3x3x6	5

Need pipe insulation?

See page 56!

ABS 3” Nipple

Mpt x Mpt

	Size	Ctn
643-191	3 x 4	25
643-194	3 x 10	25
643-195	3 x 12	25

Transition Coupling

Flexible rubber coupling, includes stainless steel clamps

	Size	Ctn
644-521	3 x 3	60
644-522	4 x 3	50
644-523	4 x 4	50
644-524	3 x 5	

Pipe Cement

- All-purpose cement
- Fast setting
- For all rigid PVC, CPVC, ABS & Styrene
- Medium bodied

		24/Ctn
720-300	¼ Pint (4 oz)	
720-301	½ Pint (8 oz)	
		12/Ctn
720-302	1 Pint (16 oz)	

All Purpose Pipe Cleaner

- All-purpose cleaner
- Fast acting cleaner will remove surface dirt & grease
- For all PVC, CPVC, ABS & Styrene
- Low Voc

		24/Ctn
720-311	½ Pint (8 oz)	
		12/Ctn
720-312	1 Pint (16 oz)	

Sun-Rys DISTRIBUTING 800-747-7091

Plumbing

Sponge Sewer Ring



	Size	Ctn
644-510	4 x 3	50

Dollar Plug

	Size	Ctn
644-500	4	50

Flexible Drain Coupling

Flexible Double Slip Joint 1½”. Fits both 1¼ & 1½ Drains. Can be used with plastic, chrome, metal & brass.

690-117 1½ Coupling

Slip Nut & Washer

690-107 PVC Slip Joint Nut 1½

Washer



690-110 1½" Flanged Washer, 1-5/16" ID x 1-23/32”

690-111 Beveled Washer 1½”" ID x 1-23/32” x 7/64” thick

Flexible Drain Tailpiece

Flexible Drain Tailpiece 1¼ or 1½ x 12”

Available in Direct Connect or Slip Connect

Universal Hook-Up

690-118 Tailpiece 1¼ or 1½ x 12”

Universal 90° Slip Coupler

690-106 Universal Coupler

Dishwasher Connector

Direct Connect 1½ “ x 8” PVC with ½” Branch

690-103 1½” x 8”

Flanged Tailpiece

Fits all 1½ kitchen sink basket assembly units 25/Ctn

690-102 1½” x 6”
690-109 1½” x 12”

Vent Check

Trap Seal Protection as with an Extended Vent Line to the outside, but without vent pipes to conceal and no possibility of roof leaks. Installs easily and quickly without special tools.

644-540 1½ MPT Vent Check

Teflon Tape

Clean & easy way to seal pipe threads for hot or cold water.

	Size	Ctn
480-023	½” x 260” roll	10

Stainless Plumbers Putty

Stays flexible and will not crack. For setting toilet bowls, sinks, faucets and drains.

	Size	Ctn
720-360	Putty 14oz	24

Plumbing

Tube Type P Trap

Includes 2 nuts, 1 each 1½" x 1½" Washer and 1½" x 1¼" Waster, PVC 5/Ctn

690-100 Drain Trap

J Bend

Slip Joint to 1½" OD Tube PVC 25/Ctn

690-101 "J" Bend Drain

Continuous Waste

601-410 1½" Adj Continuous Waste ABS



601-411 1½" Adj Continuous Waste with dishwasher tailpiece ABS

601-412 1½" Adj Continuous Waste. Combo Slip Joint or Direct Connect PVC

Flex-Drain Sewer Hose

An economical wire reinforced sewer hose that compresses for travel but extends to 10 or 20 feet for use. Completely Flexible. 12/Ctn

644-550 3"x10'

644-551 3" x 20'

Dishwasher Air Gap

For automatic dishwashers, strong rust-free plastic body with chrome plated ABS cover.

644-545 Air Gap

Sun-Rys

Sun-Rys DISTRIBUTING 800-747-7091

Sealants

Aluminum Roof Coating

Premium Fibrated Aluminum

Premium Quality provides a reflective surface to keep cooling costs down and prolong roof service life.

700-082 1 Gallon
700-086 5 Gallon

Standard Fibrated Aluminum

Reflective aluminum coating reinforced with fibers.

700-076 5 Gallon

Elastomeric

Intended for application to metal, concrete & asphalt roofs. Formulated specifically for durability and maintenance of a high degree of solar reflectivity.

700-092 1 Gallon
700-096 5 Gallon

Roof Patch

Water-based acrylic elastomeric repair mastic.

700-312 1 Gallon Acrylic

Roof Cement

Heavy duty asphalt cement for sealing flashings and penetrations. Use as an all-purpose repair product.

700-303 1 Gallon

Rubberized Roof Cement Leak Stopper

All-weather rubberized flashing cement with strong, flexible, polyolefin micro-fiber reinforcement..

700-403 10oz Tube
700-404 1 Gallon

Roofing Brushes

700-800 54" x 15/16 Hardwood Handle
700-810 Roof Head Brush Only 7" x 2½"
700-820 6" Paste Brush Handleheld

Reinforcement Fabric

700-601 Black 6" x 50' Roll

Roof Rumble Button

Rumble buttons eliminate roof rumbling. 1⅛" dia steel washer with neoprene backing for the best roof leak resistance.

500/Ctn

700-900 Rumble Button

Silicone Sealant

Professional grade specifically for the manufactured housing industry for a water tight seal.

720-003 Clear 10.3 oz
720-004 White 10.3 oz

Tub & Tile Sealant

Developed for sealing around sinks, showers, backsplashes, baths, & tubs, anywhere a water tight seal is desired. Paintable, mildew-resistant and non-yellowing.

720-050 White 6oz
720-051 Almond 10.1 oz
720-052 White 10.1 oz

Thread Compounds

Rectorseal

Slow Dry-Soft Set

For use on a broad range of fluids and gases.

For use on metal & PVC pipe.

720-324 4 oz
720-322 16 oz

Silicone Spray Lubricant

Compatible with all metals, rubber, plastic and wood. High viscosity formula eliminates squeaks and lubricates all kinds of household Equipment.

760-010 15oz Spray Lubricant

STA'-PUT Adhesive

Designed as a multi-purpose product resistant to water and is fast drying with a long working time, making the product ideal for a wide variety of applications. Can be used on porous and many non-porous surfaces

720-230 16oz Spray Adhesive

Pipe Stick

Single compound made into a stick that applies easily to stop leaks in pipes, tanks and fittings

720-325 1.25 oz Stick

All Purpose Pipe Cement & Cleaner

- All-purpose cement
- Fast setting
- For all rigid PVC, CPVC, ABS & Styrene
- Medium bodied

- All-purpose cleaner
- Fast acting cleaner will remove surface dirt & grease
- For all PVC, CPVC, ABS & Styrene
- Low Voc

	24/Ctn		24/Ctn
720-300	¼ Pint (4 oz)	720-311	½ Pint (8 oz)
720-301	½ Pint (8 oz)		
	12/Ctn		12/Ctn
720-302	1 Pint (16 oz)	720-312	1 Pint (16 oz)

Stainless Plumbers Putty

Stays flexible and will not crack. For setting toilet bowls, sinks, faucets and drains.

720-360 Putty 14oz 24/Ctn

Sun-Rys DISTRIBUTING 800-747-7091

Sealants

Duct Tape

24/Ctn

Utility Grade

480-010 2" x 60 yds Silver 9 mil

480-009 2" x 60 yds White 9 mil

480-013 2" x 60 yds Black 9 mil

24/Ctn

Contractor Grade

480-017 2" x 60 yds Black 11 mil

Electrical Tape

200/Ctn

General purpose electrical rated at 600 volts. 7 mil

352-000 ¾" x 60 ft Black

Aluminum Foil Tape



24/Ctn

Used for sealing HVAC ductwork

480-008 2" x 50 yds

Teflon Tape

10/Ctn

Clean & easy way to seal pipe threads for hot or cold water.

480-023 ½" x 260"

Aluminum Butyl Tape

24/Ctn

Indoor/outdoor foilmastic sealant tape

480-016 2" x 10 yds

Caution Tape

8/Ctn

Yellow film with black print, suitable for indoor or outdoor

480-026 3" x 333 yds

Strapping Tape

Strong polypropylene tape

480-011 ¾" x 60 yds 2.7 mil

PuttyTape



Caulking & sealing tape for window & door frames.

480-005 1" x ⅛ x 30 ft

Carton Sealing Tape and Dispenser

Economy grade 1.6 mil

480-012 2" x 55 yds

For 2" wide tape, 3" core

480-091 Tape Dispenser

Gas Leak Detector

Fluid detects leaks in anything that can be tested with air or gas pressure. Absolutely save - dries clean.

720-340 8 oz 12/Ctn
720-341 1 gal. 6/Ctn

Oversized & Wide Load Signs

Vinyl

Durable flexible poly coated vinyl, reinforced with grommets. 12" high black letters on yellow. 25/Ctn

170-000 Oversized Load 18" x 8'

170-002 Wide Load 18" x 7'

Metal

Steel sign with baked-on enamel copy and background

170-001 Metal Sign 15" x 6'

Warning Lights

PSE AMBER

Single Sealed Beam Revolving Light-Amber

170-200 7¾"H x 8"D 12 volt, bolt on

170-500 6"H x 6"D 12 volt, magnetic base

Dual Sealed Beam Revolving Light-Amber

170-510 5¼"H x 16½"L x 8"W 12 volt, magnetic base

Strobe Light

170-520 7¾" H x 6" D 12 volt, 12 volt, magnetic base

Flag on Staff

Reflective red, permanently mounted on 36" x ¾" staff.

170-114 18" Flag on Staff

Staff Holder Kit

Galvanized steel holder for staff flags.

170-118 Staff Holder Kit

Shock Cord

Strong, durable 18" straps of high grade rubber for attaching flexible signs, banners, etc. Versatile.

25/Ctn

170-300 18" Shock Cord

Ratchet Strap

Powerful 9 to 1 advantage. 2" x 27' nylon webbing

170-320 Ratchet Strap

Nylon Tricot Flag

18"x18"-Safety flag with plain edges. Highly reflective, will not ravel or rot. RED 240/Ctn

170-101 Nylon Tricot Flag

Tarp Strap

170-310 31" 50/Ctn

170-410 41" 25/Ctn

Plastic Flag Clips

Fasten flags to mobile homes in seconds. Secure; will not scratch or mar, easy to install.

1¾" x ¾" x ⅛" Pack of 25 40/Ctn

170-111 Flag Clips

Flag & Clip Kit



A kit meeting the danger flag regulations. Kit contains 2-18"x18" nylon tricot flags and 2-plastic flag clips. RED Pack of 2 50/Ctn

170-100 Flag & Clip Kit

Sun-Rys DISTRIBUTING 800-747-7091

Towing

Norco Hydraulic Bottle Jack

- 50% safety overload factor
- No leak "Uniweld" construction
- Longer wear life due to internally machined oil passages, smooth bearing surfaces, and close tolerance.
- Carrying handle

137-500 12 Ton Standard 4/Ctn

137-501 12 Ton Low 4/Ctn

137-502 20 Ton Standard 2/Ctn

137-503 20 Ton Low 2/Ctn

Norco Jack Repair Parts

137-505 12 Ton Repair Kit

137-506 Norco Jack Oil Plug

Hitchballs

Chrome

	Ball Size	Shank	Capacity
150-400	1⅞"	¾"	2,000lbs
150-401	1⅞ "	1"	2,000lbs
150-402	2"	¾"	3,500lbs
150-403	2"	1"	5,000lbs

Not Plated

	Ball Size	Shank	Lift
150-413	2"	1"	1"
150-414	2"	1"	2"

Zinc Plated

	Ball Size	Shank	Capacity
150-415	2-5/16"	1"	5,000lbs
150-416	2-5/16"	1¼"	10,000lbs

Not Plated

	Ball Size	Shank	Capacity
150-417	2-5/16"	1¼"	20,000lbs

Coupler

150-200 2-5/16" A-Frame, 25,000 lbs, S.A.E. Class 4

150-201 2" Straight, 35,000 lbs, S.A.E. Class 2 3" Channel

150-202 1⅞" Straight, 2,000 lbs, S.A.E. Class 1 2½" Channel

150-250 Hitch Pin

Tongue Jack

Hoisting jack, 5,000 lbs. capacity, top wind. Fits 8" Frame

137-550 Jack

Equalizers

Made from heavy ¼" steel. Strong design helps distribute load between axles, use 9/16" dia. shackle bolts. With bushings 2.03" H x 7"

150-121 Cast Equalizer

With bushings 4" H x 7.25"

150-122 Cast Equalizer

Spring Hanger

¼" thick heavy steel, for use with 1¾" wide spring. This hanger is 3⅞" long, Drop is 3¼". For use with 9/16" dia x 3" shackle bolt

150-100 Hanger 3¼"

¼" thick heavy steel, for use with 1¾" wide spring. This hanger is 1-7/16" long, Drop is 1⅛". For use only at shackle end of single axle suspension

150-101 Hanger 1-7/16"

Breakaway Switch

150-505 Breakaway Switch With 48" lanyard

Lug Nut

Plated steel, ½" with 20 threads per inch. Heavy Hex

150-017 60° ½" -20 Fine

Shackle Link

For use with 9/16" dia. Shackle bolt. Used to connect spring to equalizer or spring to spring hanger. ¼" thick steel and 1¼" wide.

150-111 3½" Steel, 2½" C.C.

150-112 4⅜" Steel, 3¼" C.C.

Shackle Bolt & Nut

Steel shackle bolt and nut. 9/16" dia. And 3" long. Hex lock nut. For attaching spring to spring hanger or shackle link.

150-014 Bolt 9/16" x 3"

150-016 Nut 9/16" - 18 Fine

Spring Clamp (Tie) Plate

150-130 Tie Plate ½" Holes

U-Bolt & Nut

U-Bolt ½" dia. For mounting monoleaf spring to 3" dia. axle tube

150-028 U-Bolt ½" -20, 3"

150-018 Lock Nut ½" -20 Fine

Lug Bolts

Cone head ½" -20 fine thread, plated

150-003 ⅞" x ½" Fine

½" dia and 1⅝" long. Threads are ½" -13. For use with steel hubs that are drilled & tapped. Not plated.

150-002 1⅝" x ½" Course

Dust Cap

Universal fits most mobile home axles. Keep grease in and dirt out to protect bearings. Plated finish for neat appearance to prevent rust. 2.45"OD 1.34" H

150-300 Dust Cap

Wheel Wedge

Universal will fit most mobile home axles, clamps will fit axles using lug bolts or lug studs. Plated to resist rust.

150-027 Wheel Wedge

Can't find what you're looking for?

Give us a call today and let us help you!

Sun-Rys DISTRIBUTING 800-747-7091

Floor Register

An economical register with 2-way diffusion fins and rolled edges. Brown 48/Ctn

800-000 4" x 8" Register

800-001 4" x 10" Register

800-002 6" x 6" Register

Heavy duty all-steel construction register with 2-way diffusion fins and rolled edges for even air distribution. Double damper design can be adjusted to any desired air flow.

24/Ctn

Brown		White
800-003	4" x 8"	800-005
800-004	4" x 10"	800-006
800-012	4" x 12"	800-112

Grill

2-way diffusion fins with rolled edges. Brown 12/Ctn

800-020 4" x 8"

800-021 4" x 10"

800-022 6" x 6"

S/M kit grill 12" x 20"

800-051 12"x20" White

Insulated Flex Duct

Flex Duct is Class 1 R4.2

800-305 12" x25" Anco Foil

Flex Duct is UL listec Class 1 and meets the requirements of HUD for outdoor mobile home use.

800-301 10" x25"

800-302 12" x25"

800-303 14" x25"

Hoghair Filter Material

Hoghair used widely for air conditioner filters

800-200 ½" x 24" x 25'

800-200K (order by foot)

Filter Material

Filter foam ¼, used for furnace filters 24" wide x 25' roll

800-211 Filter Material 4/Ctn

800-211K (order by foot)

Cable Ties

48" Heavy Duty Cable Tie

351-809 48" Cable Tie

Flexible Vent Hose

840-002 Vinyl 4” vent hose
Order by the foot
50’/Ctn

840-003 Aluminum 4” vent hose
Order by the foot
50’/Ctn

840-005 Aluminum Semi-Rigid
vent hose 4” x 25’
3/Ctn

Dryer Vent Hood

Aluminum 4” pipe with 12” tail and flange plate.

Non-corrosive durable plastic hood with bird guard. 12/Ctn

840-000 White

840-001 Brown

Vent Cap

840-105 5⅛” Metal 24/Ctn

840-110 7¼”; Metal 8/Ctn
¾” below roof line

840-111 7¼”; Metal 4/Ctn
4¾” below roof line

840-112 7¼”; Metal 4/Ctn
5” below roof line
Angle Flange

Vent-A-Dome

Light and air requirements at budget pricing, non-powered roof vent-a-dome with translucent cover. Easy installation in 14¼” x 14¼” rough opening

840-130 Ven-A-Dome

840-135 Replacement Top
Cover - Wedge Shape

Replacement Top Cover, old style Round Shape

840-136 14¼” x 14¼”

Vent Clamp

10/Ctn

840-010 4” Vent Clamp Metal

Plumbing Vent

For up to 1½” dia. pipe, molded of hi-impact U.V. stabilized polyolefin, removeable cap.

840-101 1½” Plastic 100/Ctn

840-100 1½” Metal 50/Ctn

Draft Head



An efficient, rugged replacement draft cap for oil & gas fired appliances.

840-120 4” Pipe

840-121 5” Pipe

Sun-Rys DISTRIBUTING 800-747-7091

Vents

Range Hood

VENTLINE

Powerful UL listed 115V motor. 2 speed motor standard. Durable powder coat paint resists scratching and chipping. Convenient front mounted fan and light controls. Rocker switches (for fan/light operation). Enclosed light illuminates cooking surface (bulb not included). Includes 8" x 8" charcoal grease filter. Exterior vents and ducting sold separately. Pebble texture.

	Silver	Ivory	White
30” w/light & fan	880-110	880-111	880-112
42” w/light & fan	880-130	880-131	880-132

Range Hood Ductless

Powerful UL listed 115V motor. 2 speed motor standard. Durable powder coat paint resists scratching and chipping. Convenient front mounted fan and light controls. Rocker switches standard. Enclosed light illuminates cooking surface (bulb not included). Includes 8" x 8" charcoal grease filter. 12" cabinet depth. 18" total capture area. Recirculating fan (ductless). Pebble texture.

	Silver	Ivory	White
30” w/light & fan	880-140	880-141	880-153

Range Hood Round Vertical Vent

Powerful UL listed 115V motor. Single speed motor standard. Durable powder coat paint resists scratching and chipping. Convenient front mounted fan and light controls. Rocker switches standard. Enclosed light illuminates cooking surface (bulb not included). Includes 8" x 8" charcoal grease filter. 12" cabinet depth. 18" total capture area.

Vertical air exhaust - 5" dia. Exterior vents and ducting sold separately. Pebble texture.

	Silver	Ivory
30” w/light & fan	880-150	880-151
42” w/light & fan		880-157

Range Hood Accessories

Roof Cap

Roof vent, rectangle galvanized, flat flange, flush 3½” x 10¼” hole size, 6” high

880-300 Range Hood Roof Cap

Sidewall Vent

Weatherproof outside vent with lockable damper. Rough opening is 3¾” x 10½”. Polar White

880-312 Sidewall Vent

Lens Cover

Diffused light lens for most all Vent-line range hoods. 9½” x 3-1/16”

371-302 Lens Cover

Damper



For vertical or horizontal venting. 9½ x 8-9/16”

888-250 Damper

888-251 Damper Flapper

Sun-Rys DISTRIBUTING 800-747-7091

VENTLINE

Sidewall Exhaust Vent

Outside door embossed for greater rigidity & warp resistance. Insulated with polyurethane to withstand grease and decay. Blade moves air quietly. Easy to clean. All moving parts, out of airstream, protected from weather. Rough-in opening 9 1/2" W x 9 1/4" H

Complete with grill 115 Volts

880-201 2¾" - 4" Wall Thickness

Grill

Grill for Sidewall Exhaust Vent

888-402 Silver 2-3" Wall Thick

888-403 White 2-3" Wall Thick

888-405 Silver 2¾-6" Wall Thickness

Switch

888-500 Plastic Momentary Switch for Sidewall Fan

Ceiling Exhaust Fan

Exhaust fan with damper. Exhaust through roof, connection measures 7" in dia. 6.5" deep. Installs in 8" round opening. White cover measures 9⅝". Output 50 CFM. 115 Volts 8/Ctn

880-010 Fan with Grill

888-202 Replacement Filter

Ceiling Vent Fan with Light

Exhaust fan with light. Exhaust through roof, connection measures 7" in dia. 6.5" deep. Installs in 10¾" round opening. Easy to install.

Output 50 CFM. 115 Volts 8/Ctn

880-000 Fan with Light

371-301 Replacement Plastic Lens Cover

888-202 Replacement filter

Chains



888-300 Sidewall Chain 2"

888-301 Sidewall Chain Combo 2" & 16" Chain

Motor

110V motor for range hoods. 2-speed Spline Shaft

Note: When replacing the 1-speed motor, use white & red wires only, cap blue wire

888-005 Motor

Fan Blades

888-100 3-Blade 6½" Dia.
Fits .214 dia shaft
For sidewall & Ceiling Fan

888-103 4-Blade 6⅞" Dia.
Fits .214 dia shaft
For Range Hoods PR

888-102 5-Blade 5⅝" Dia.
Fits .214 dia shaft
For Range Hoods PR

Aluminum Mesh Filter

888-200 8" x8" Range Hood Filter

Bell-Mac dba
Sun-Rys DISTRIBUTING 800-747-7091
1704 W. 1st Ave 309-799-7091
Coal Valley IL 61240 309-799-5718 fax

BUSINESS HOURS:
Monday - Friday 8:00am-4:30 pm

TERMS & CONDITIONS OF SALE

Sun-Rys Distributing offers this catalog to assist you in placing orders. Computerized information allows our sales staff to give you up-to-date pricing and stock availability.

Sun-Rys Distributing has made every effort to represent all items in the catalog accurately. We assume no liability for errors in descriptions, typographical errors or suitability for a specific purpose. Specifications and pricing are subject to change without notice. Note that compliance with laws or local codes in your state or area in the selection and use of materials is exclusively the purchaser's responsibility.

All information contained within this catalog is the property of Sun-Rys Distributing and reproduction by any means is forbidden without Sun-Rys Distributing's direct written approval.

ORDERING PROCEDURES:
Phone orders are accepted anytime during business hours. To help us process your order more efficiently, have your customer number and item part numbers before calling. Carton quantities are shown for ordering convenience only and do not represent a minimum purchase quantity.

Mailed and faxed orders are accepted. Please include our part numbers and/or an accurate description of all items being ordered. Include your billing and shipping address plus a phone number in case we need to contact you about your order.

You may also visit the showroom anytime during business hours. Your selections may be picked up within minutes at the customer pick-up dock.

BACK ORDERS:
Items not in stock will be back ordered unless you specify '*no back orders'* when placing the original order. Back ordered items normally arrive within a few days as we are constantly receiving new stock.

SPECIAL ORDERS:
Special order and non-stock items must be ordered or confirmed in writing, via fax, e-mail, or mail. Special order and non-stock items are non-returnable and non-refundable. Please be sure you order the correct, item, size, color, etc.

RETURNS:
No items may be returned without prior approval from Sun-Rys Distributing. Please call your sales representative to initiate the return and have the original invoice number when you purchased the item ready when calling. All returned items must be unused in new condition and in the original container. Original container must be intact and uncompromised. Once the request is processed, you will then be given a RGA (Return Goods Authorization) number.

If you are within a Sun-Rys Distributing delivery area, items ready for return will be picked up on your next scheduled delivery (charges may apply). If you are outside a Sun-Rys Distributing delivery area, return items must be sent freight prepaid to Sun-Rys Distributing. RGA numbers should be clearly marked on the outside of the package. Returns received without an RGA number will be refused. Returns are subject to a 15% restocking charge. No returns will be accepted after 30 days from date of invoice.

WARRANTIES:.
The only warranties extended on the products listed herein are those written warranties, if any, packaged with the product and are limited to the terms and conditions therein. No other warranties are extended, whether expressed or implied, and there is no implied warranty of merchantability or warranty of fitness for a particular purpose. Items returned to Sun-Rys Distributing under warranty terms should be clearly marked as a warranty return and should include all the proper paperwork, including an RGA number.

Bell-Mac dba
Sun-Rys DISTRIBUTING 800-747-7091
1704 W. 1st Ave 309-799-7091
Coal Valley IL 61240 309-799-5718 fax

TERMS & CONDITIONS OF SALE (Con't)

DELIVERY POLICY:
We currently make weekly deliveries via Sun-Rys Distributing trucks to the Midwest region. Please contact a sales representative for details.

OUR TRUCK DELIVERIES: Please contact a sales representative.

MOTOR FREIGHT SHIPMENTS: All C.O.D. and accessorial fees are the customer's expense. When Sun-Rys Distributing bears the freight charges, we reserve the right to ship the most economical way. Orders that require shipment prior to your regular delivery day will be shipped freight collect. Please call a sales representative for the latest delivery schedules.

PARCEL SHIPMENTS: C.O.D. and accessorial fees are the customer's expense. Be aware that certain items may not be shipped via small package delivery due to hazardous material regulations or size/weight restrictions. Orders that require shipment prior to your regular delivery day will be shipped freight collect. Please call a sales representative for the latest delivery schedules. An additional handling fee may be charged.

DAMAGES AND SHORTAGES:

OUR TRUCK DELIVERIES: Carefully examine your shipment when it is delivered, as our driver will be asking you to sign a verification of the count and condition of the shipment. If damage or shortage has occurred, it must be noted on the delivery receipt and signed by our driver.

MOTOR FREIGHT SHIPMENTS: Verify the number of cartons shown on the freight bill. Note any shortages on the freight bill along with any visible damage before the carrier leaves and have the driver sign and keep a copy. Contact Sun-Rys Distributing immediately. Retain all shipping material and boxes until told to dispose of. Concealed damage and shortages must be reported within 10 days from the date of the invoice to Sun-Rys.

PARCEL SHIPMENTS: Allow 7 days from the date of shipment to receive all cartons. Carefully examine your shipment when it is received. Contact Sun-Rys Distributing to report any discrepancies. If there is damage, retain all shipping material and boxes until told to dispose of. Concealed damage and shortages must be reported within 10 days from the date of the invoice to Sun-Rys. Do not return damaged items to Sun-Rys without an RGA number.

TERMS:
Sun-Rys Distributing sells wholesale to qualified accounts only. New customers should fill our a New Account Credit Application form. To avoid delays, provide all the information requested. Possession of this catalog shall not be considered an offer to sell the merchandise listed herein. Sales are subject to all applicable taxes. We must have on file a sales tax exemption form or sales tax will be charged. Customer who have not purchased on a regular basis may be asked to fill out an updated application to ensure the information on file is current. Any changes in a customer's account information must be passed on to Sun-Rys Distributing as soon as possible.

Sun-Rys Distributing accepts company checks, money orders, Discover, Visa, and MasterCard. Sun-Rys Distributing also allows credit terms subject to credit approval. Normal credit terms are 1% discount if paid within 10 days - net balance due in 15 days.

A finance charge will be added to accounts with balances over 30 days old and the account will be placed on "Advance" pay until the account is current. Discounts will not be allowed for accounts with past due balances. We reserve the right to decline, alter, or remove credit terms at any time. Returned checks are subject to a returned check charge of $25.00 minimum.

PRICES AND SUBSTITUTIONS:
Due to changing costs, all prices are subject to change without notice, and orders will be shipped at the prices in effect at time of shipment. In the event a catalogued item is unavailable, we reserve the right to substitute and equal product from a different manufacturer.

Sun—Rys

YOUR HOUSING PARTS DISTRIBUTOR
1704 W 1ST AVENUE, COAL VALLEY IL 61240
800-747-7091 OR 309-799-7091
309-799-5718 FAX

DATE: _____

ORDERED BY: _____ SHIP TO: _____

PO NUMBER: _____ _____

SALES REP: _____ _____

CUSTOMER #:_____ PHONE: _____

BILL TO: _____

SHIP VIA: OUR TRUCK / PACKAGE / LTL / BEST
(CIRCLE ONE)

_____

_____

PHONE: _____

QTY	PART NUMBER	DESCRIPTION	EACH	TOTAL

NON-STOCK ITEMS CAN NOT BE RETURNED OR CANCELLED

SIGNATURE COMPANY NAME DATE

A

A-Coil 13
ABS
  Cement 74
  Fittings 68, 69, 70
  Pier Pad 29
  Tubs 49
Acrylic Roof Coating 73
Adhesives
  Pipe 70
  Spray STA-PUT 74
Air Conditioner 12
  Blower (See Furnace Parts)
  Damper 14
  Disconnect 15
  Duct, Flexible 14
  Packaged 13
  Pad 15
  Residential 12
  Sheet Metal Kit 14
  Split System 12
  Wiring Kit15
Aluminum
  Gutter 30
  Panel 30
  Roof Coating 73
  Tape 72
  Trim 75
  Window 23
Anchor Supplies 26-29, 35
Axle Parts 78, 78

B

Back Flow Preventer 54
Ball
  Hitch 77
  Valve 57
Ballcock 50

Bathtub
  Enclosure 55
  Faucet 44, 45
  Molding 50
  Strainer 50
Bearing, Torque Bar 40
Bits, Power 37
Black Iron Pipe 52, 65
Blend-Air System 10
Blow Out Plug 56
Blower Wheel
  See also Furnace Repair Parts
Boards 29
Boiler Drain Valve 57
Bolts
  Lag & Shield 27
  Lug 78
  Shackle 78
  Split 27
  'U' 78
Bottle Jacks 77
Bottom Board Material 39
Breakaway Switch 77
Brush, Roofing 73
Buckles, Strap 28
Bungee Cords 76
Burner Assembly
  See also Furnace Repair Parts

C

Cabinet Catch 43
Cable Ties 33
Carport 31
Caulking
  Gun 35
  Silicone 74
  Tape, Putty 75
  Tub & Tile 50
Ceiling
  Exhaust Fan 81, 82
  Light 34
  Ring 11
  Rosette 38
Cement
  Pipe 70
  Roof 73
  Spray, STA-PUT 74
Chain 82
Circuit Breakers 33
Cleaner, Pipe 74
Close-Off Film 39
Closer, Storm Door 39
Closet
  Flanges 51
  Hardware 43, 59
CO Detector 36
CO Plug, Lavatory 48
Conduit & Fittings 15
Connectors
  Duct 11, 14
  Gas 48
  Water Heater 54
Continuous Waste 54
Convenience Kit A/C 15
Copper
  Fittings 58, 59
  Tubing 52
Couplers 77
Cranks, Window 40
Crimping
  Rings 63
  Tools 28, 36, 63
Cutter, Tube 35

D

Damper
  Air Conditioner 14
  Range Hood 81
Deadbolt Locks 39
Digital Water Level 29
Disconnect A/C 15
Dishwasher Drain 71, 72
Dollar Plug 71
Door
  Bath Enclosure 49
  Drip Cap 29, 41
  Exterior 16-20
  Hardware 39, 41-43
  Interior 21
  Locks 39
  Water Heater 21
  Weather Stripping 41
Drain
  Fittings 66-72
  Flexible 72
  Sewer 72
  Sink 48
  Stoppers 48
  Valves 57
  Vent 71
Drawer Hardware 43
Drip Caps 29, 41
Dryer Venting 80
Duct
  Collars 14
  Connector 11, 14
  Dryer 80
  Flexible Insulated 14
  Range Hood 80
  Reducer 14
  Supply Connector 14
  Tape 75
  Y-Connector 14
Dust Cap 78

E

Earth Anchors 27, 28
Electric
  A/C Disconnect 15
  Circuit Breakers 33
  Conduit & Fittings 15
  Pedestals 32
  Tape 33, 75
  Wire 32
  Wire Nut 33
Electric Furnace (EB) 6
Electronic Water Level 29, 36
Element
  Water Heater 54
  Wrench 54
Exhaust
  Dryer Vent 80
  Fan 81, 82
Extension, Roof Jack 11

F

Fan
  Blades 82
  Exhaust 82
  Motor 82
  Switch See Furnace Parts
Fasteners 38
Faucets
  Frost Proof 56
  Kitchen 44
  Lavatory 44
  Parts 46
  Tubs & Shower 44
Fiberglass Pipe Insulation 56
Fiberglass Steps 25
Filter
  Air Conditioner 10
  Blend Air 10
  Kit, Furnace 10
  Material 10
  Range Hood 82
Finial Nut 38
Fittings
  ABS 68-70
  Black Iron 68, 69
  Flare-It 60, 61
  Galvanized Iron 64, 65
  Liquidtite 15
  Pex 62, 63
  PVC 66, 67
  Qest 58, 59
Flags, Transportation 76
Flange, Closet 51
Flapper Tank Ball 50
Flare-It Fittings 60. 61
FLEX-MEND 39
Flexible
  Drains 71
  Duct
    Collar 14
    Dryer 80
    Insulated 14
    Reducers 14
    Y-Connector 14
Floor Register & Grill 15
Flush Valve 50
Foundation Pad 29
Frost Proof Faucet 56
Frostex Heating Cable 55
Furnace
  Accessories 6
  Electric Furnace 6
  Gas Furnace 2
  Repair Parts 3, 5, 8, 9
  Thermostat 10
Fuses 33

G

Garden Tubs 49
Gas
  Flexible Connectors 48
  Leak Detector 52, 75
  Pressure Tester 36
  Shut-Off Valve 57
  Valves, See Furnace Parts
Gasket, Toilet Tank 51
Glass Shades 34
Glues
  Pipe 52, 74
  Spray, STA-PUT 74
Grill
  Floor 15
  Sidewall 82
  Sidewall Fan 82
Ground
  Cover Film 39
  Mats 29
  Pad 29
  Rod & Clamp 33
Guide
  Closet 43
  Drawer 43
  Window 42
Gutters, Aluminum 30

H

Hand Pump Kit 56
Hand Tools 36
Handle
  Faucet 46
  Roof Coat Brush 73
  Storm Door 39
  Window Crank 40
Hanger
  Closet Door 43
  Spring 43
  Strap 52
Hardware
  Axle 78
  Drawer 43
  Storm Door 39
  Window 40, 42
Heat
  Exchangers, see Furnace Parts
  Register 15
  Tape, Frostex 55
Heating Cable 56
Hitch
  Ball 77
  Coupler 77
  Pin 77
Hydraulic Jack 77

I

Index Button 46
Insulated Flexible Duct 71
Insulation Pipe Wrap 56
Interior Door 21
Iron Pipe & Fittings 52, 64

J

J Bend 72
Jack Repair Kit 77
Jacks 77
Joint Compound 52, 71, 74

K

Kitchen
  Faucet 44, 46
  Sink 48
Knife, Utility 35

L

Lag & Shield 27
Latches 39, 42
Lavatory
  Faucet 44
  Sink 48
Leak Detector 52
Leak Stopper 73
Lens
  Ceiling Exhaust Fan 81
  Range Hood 34, 81
Level, Digital Water 29
Lifestyle Skirting 25
Lights
  Ceiling Fan 80, 82
  Finial Nut 38
  Fixture 34
  Revolving Safety 76
Limit, See Furnace Parts
Lineset 14
Liquidtite Conduit & Fittings 15
Load Sign
  Over Size & Wide 76
Locks
  Deadbolt 39
  Entrance 39
  Interior 39
  Replacement Latches 39
  Storm Door 39
  Strike Plate 41
Lubricant, Silicone 74
Lug Bolts & Nuts 78

M

Malleable Iron Fittings 64, 65
Mats Ground Cover 29
Metal Siding 30
Mobile Matt 29
Molding
  Aluminum 30, 50
  Tub 50
Motor, see Furnace Parts
  Exhaust Fan 82

N

Nails Skirting 24
Nipples, Iron 65
Nuts
  Finial 38
  Lug 78
  Wire 33

O

Open Coil Elements 54
Operators, Window 40
Outriggers, Adjustable 29
Over Size Load Sign 76

P

Packaged Air 13
Panels, Aluminum 30
Patio
  Anchor 27
  Cover 31
  Door 20
Pedestal, Electric 32
Penetrometer 29
Pex Pipe & Fittings 62, 63
Pier Pad 29
Pipe
  ABS 52 68
  Black Iron 52, 65, 68
  Cement & Cleaner 74
  Hanger 52
  Heating Cable, Frostex 56
  Insulation 56
  Joint Compound 52
  Pex 59
  PVC 66
  Schedule 40 52, 66, 68
  Vent 71
  Wrap Insulation 56
Plug
  Blow Out 56
  Sewer 71
  Sink 48
Plumbing
  Putty 71
  Vents 80
Pop-Up Assemblies 48
Porch Light 34
Power Bits 37
Pressure
  Relief Valve 54
  Switch 82
  See Furnace Parts
Putty
  Plumbers 71, 74
  Tape 75
PVC
  Cement 70, 71, 74
  Fittings 66, 67
  Pipe 74

Q

Qest Pipe & Fittings 58, 59
  Crimp 36

R

Radiant Heaters 10
Range
  Hoods 81
  Accessories 80, 81
Ratchet Straps 76
Registers
  Floor 15
  Grill 15
  Sheet Metal Kit 14
  Sidewall Grill 15, 82
  S/M Kit Grill 14
Revolve Furnace 2, 3, 4
Revolving Light 76
Ring
  Crimp 63
  Sponge 51
  Toilet Bowl 51
Romex Connector 33
Roof
  Bracket 27
  Brushes 73
  Cement 73
  Coating 73
  Edge Trim 30
  Jack
    Ceiling Ring 11
    Crown Cap 11
    Extension 11
    Sealant 11
  Vent 80
Rosette W/Screw 38
Rubber Stopper 48
Rumble Button 38, 73
RV Power Outlet 33

S

Sag Ender 37
Schedule 40 Pipe & Fittings 52
Screen
  Frame 42
  Material 42
  Spline 42
  Spline Tool 42
Screw
  Bits 37
  Drivers 35
  Hex Washer Head 38
Seal
  Caulking 50, 73, 74
  Putty Tape 75
  Roof Coating 73
  Roof Jack Sealant 73
  Threshold 41
  Thum-Gum 15
Seam Ender 37
Seat, Toilet 47
Sewer
  Fittings, see Fittings
  Hose 72
  Plug 71
  Sponge Ring 71
Shades 34
Sheet Metal Kit 14
Shock Cords 76
Shower
  Faucet 44, 45
  Handheld 47
  Head 44
  Pan 49
  Strainer 50
Shut-Off Valve 57
Sidewall Exhaust Fan 82
Siding, Aluminum 30
Sign
  'Over Size/Wide Load' 76
Silicone
  Lubricant 74
  Sealant 74
Sink
  Kitchen 48
  Lavatory 48
  Stopper 48
  Strainer 48
Skirt-Guard 24
Skirt-Hang'R 24
Skirting
  Crimp Tool 36
  Lifestyle 25
  TruGard 24
Smoke Alarm 69
Soil Test Probe Kit 28
Speed Wrench 27
Spline Tool 42
Split System Air Conditioners 12
Squeak Ender 37
STA-PUT Adhesive 74
Stem & Bonnet, Faucet 46
Steps 25
Stop Valve 27
Stoppers, Drain 48
Storm
  Door 20
    Hardware Kit 39
  Window 22, 23
    Clips 42
Strainer
  Sink 48
  Tub 50
Strap
  Anchor 28
  Buckles 28
  Hanger 52
  Sealer 35
  Seals 28
Stud Kits 38
Surround
  Door 41
  Tub 49
Switches
  Breakaway 82
  Disconnect 3
  Furnace 3, 5, 7-9

T

T & P Valve 54
Tailpiece 71, 72
Tank Ball 50
Tape
  Carton 75
  Dispenser 35, 75
  Duct 75
  Electrical 33, 75
  Heat 56
  Putty 75
  Teflon 71, 75
Tarp Strap 76
Telephone Shower 47
Temperature & Pressure Relief Valve 54
Test Probe, Soil 28
Thermaline/Woodford 55
Thermocouples 33
Thermostat
  Furnace A/C 10
  Water Heater 54
  Wire 10, 33
Thread Compound 52, 74
Thum-Gum 15
Toilet
  Parts 71
  Seats 50
Tools 35, 36
Torque Bar Arm 40
Towing Accessories 76-78
Transition Coupling 10
Trim
  Aluminum 30
  Molding 50
TruGard Skirting 24
Tub
  Bath 49
  Caulking 50
  Faucets 44, 45
  Molding 50
  Sprouts 46
  Strainer 50
  Surround 49
Tubing
  Copper 52
  Cutter 59
  Pex 52, 59

U

'U' Bolt 78
Utility Knife 35

V

Valve
  Flush 50
  Furnace see Furnace Parts
  Gas Shut-Off 57
  Pressure Relief 54
  Qest 57
  T & P 54
  Water 57
Vapor Barrier 39
Vent
  Cap 80
  Ceiling 81
  Check 71
  Dryer 80
  Fan 82
  Plumbing 80
  Range Hood 81
  Roof 80
  Sidewall Return Air 82
Vinyl Skirting 24, 25
VMA
  Coil Cabinet 10
  Furnace 4
  Parts 5

W

Wall
- Hydrant 57
- Tub Surround 49

Wall Mount Bracket, A/C 15
Washerless Cartridge 46
Washers
- Faucet 46
- Plumbing 47, 71
- Rosette 38
- Rumble Buttons 38, 73

Water
- Connector 55
- Heater 53
  - Connector 54, 59
  - Door 21
  - Parts 54
  - Roof Jack 54
  - Thermostat 54

Wax Bowl Rings 51, 71
Weatherstripping 41
Wedges
- Shim 29
- Wheel 78

Wheel Parts 78
Wide Load Sign 76
Window
- Clips 42
- Crank 40
- Exterior 22, 23
- Glazing 42
- Hinges 40
- Operators 40
- Repair Parts 40, 42
- Storm 23
  - Clips 42

Wire
- Convenience Kit 15
- Electrical 32
- Nuts 33
- Thermostat 10, 33

Wood Wedges/Blocks 29
Woodford/Thermaline 32,55

X, Y, Z

Xi System 26